






Purity: 0.57 Tumor ploidy: 4.955
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.57 Tumor ploidy: 4.955 SNV log−likelihood: −380.11 GoF: 34.9% Mean coverage: 424
1 2 5 6 7 12 14
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 2650.8
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
3m1
5m2
6m2
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.9 Tumor ploidy: 2.984
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.9 Tumor ploidy: 2.984 SNV log−likelihood: −401.93 GoF: 20.3% Mean coverage: 424
1 2 5 6 7 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 2509.27
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m1
2m0
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 2.96
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.39 Tumor ploidy: 2.96 SNV log−likelihood: −481.61 GoF: 47% Mean coverage: 424
2
5
6
7
12
14
17
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 2615.46
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
0m0
1m0
3m1
4m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m1
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.32 Tumor ploidy: 3.804
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.32 Tumor ploidy: 3.804 SNV log−likelihood: −475.53 GoF: 66.2% Mean coverage: 424
2
5
6
7
12
14
17
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 2572.22
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
0m0
1m0
4m2
4m1
5m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
4m2
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.75 Tumor ploidy: 5.919
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.75 Tumor ploidy: 5.919 SNV log−likelihood: −385.54 GoF: 80.4% Mean coverage: 424
1 2 5 6 7 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 2350.49
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
6m3
6m2
7m2
2m0
4m0
6m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m2
4m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 5.727
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.44 Tumor ploidy: 5.727 SNV log−likelihood: −381.05 GoF: 67.9% Mean coverage: 424
2
5
6
7
12
14
17
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 2354.63
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m0
2m2
3m0
3m1
5m2
6m0
6m2
6m3
7m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1
6m1
7m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 4.808
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.39 Tumor ploidy: 4.808 SNV log−likelihood: −451.02 GoF: 53.6% Mean coverage: 424
2
5
6
7
12
14
17
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 2488.24
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m2
1m1
0m0
2m1
5m2
6m2
1m0
5m1
6m1
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
5m2
2m1
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.61 Tumor ploidy: 1.984
0
1
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.61 Tumor ploidy: 1.984 SNV log−likelihood: −599.35 GoF: 0% Mean coverage: 424
2
5
6
7
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 2493.76
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
3m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.72 Tumor ploidy: 4.004
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.72 Tumor ploidy: 4.004 SNV log−likelihood: −452.54 GoF: 0% Mean coverage: 424
1 2 5 6 7 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: 2022.13
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 6
0 5 10 15 20 25 30 35
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5
0 5 10 15 20 25 30 35
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m0
2m0
3m0
4m0
4m1
4m2
5m0
5m2


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
5m1


Power 0.8 at BQ 32
Frequency
Cellular fraction