






Purity: 0.64 Tumor ploidy: 4.53
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.64 Tumor ploidy: 4.53 SNV log−likelihood: −663.21 GoF: 61.1% Mean coverage: 448
1
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 1952.21
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
1m1
2m2
3m3
3m2
5m3
7m4
2m1
4m2
7m3
3m1
4m1
1m0
2m0
3m0
4m0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
−1.5
−1.0
−0.5
0.0
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1



Frequency
Cellular fraction
0
5
10
15
0.2
0.4
0.6
0.8
1.0



Purity: 0.68 Tumor ploidy: 3.409
1
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.68 Tumor ploidy: 3.409 SNV log−likelihood: −746.64 GoF: 0% Mean coverage: 448
1 4 5 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 2072.78
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 6
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



1m1
3m2
5m3
2m1
4m2
5m2
3m1
1m0
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.3 Tumor ploidy: 3.822
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.3 Tumor ploidy: 3.822 SNV log−likelihood: −768.58 GoF: 85.5% Mean coverage: 448
1 4 5 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 2074.35
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 4 6
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
0m0
1m0
2m1
3m2
3m1
3m0
4m0
5m3
7m4
7m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1
3m2
4m1



Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 2.41
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.54 Tumor ploidy: 2.41 SNV log−likelihood: −753.86 GoF: 33.3% Mean coverage: 448
1 4 5 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 1977.71
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 5
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
3m2
4m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.48 Tumor ploidy: 4.717
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.48 Tumor ploidy: 4.717 SNV log−likelihood: −696.06 GoF: 74.8% Mean coverage: 448
1
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1844.44
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m1
3m0
3m2
3m3
4m0
4m1
4m2
5m0
6m4
7m3
7m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.84 Tumor ploidy: 5.418
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.84 Tumor ploidy: 5.418 SNV log−likelihood: −700.26 GoF: 71.4% Mean coverage: 448
1
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index
SCNA−fit log−likelihood: 1827.99
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
0
10
20
30
40
50
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
2m1
3m2
4m2
5m3
6m3
7m4
7m3
5m2
3m1
5m1
2m0
3m0
5m0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.1
0.2
0.3
0.4
0.5
−1.5
−1.0
−0.5
0.0
0.5
3m1
4m1
5m1



Frequency
Cellular fraction
0
2
4
6
8
10
0.2
0.4
0.6
0.8
1.0



Purity: 0.38 Tumor ploidy: 1.416
0
1
2
3
4
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.38 Tumor ploidy: 1.416 SNV log−likelihood: −848.97 GoF: 54.9% Mean coverage: 448
1
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: 1961.85
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



0m1
1m1
3m2
0m0
2m1
3m1
1m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.2 Tumor ploidy: 2.997
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.2 Tumor ploidy: 2.997 SNV log−likelihood: −845.09 GoF: 89.4% Mean coverage: 448
1
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 1941.25
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m2
4m3
1m1
7m4
0m0
2m1
7m3
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m2
2m2
0m1
1m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.22 Tumor ploidy: 1.847
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.22 Tumor ploidy: 1.847 SNV log−likelihood: −947.04 GoF: 84.9% Mean coverage: 448
1
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 1985.94
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
2
4
6
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
1m1
3m2
5m3
0m0
5m2
1m0
2m0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1



Frequency
Cellular fraction
0
5
10
15
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0



Purity: 0.15 Tumor ploidy: 2.317
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.15 Tumor ploidy: 2.317 SNV log−likelihood: −1041.19 GoF: 86.8% Mean coverage: 448
1
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: 1927.4
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
4m3
7m3
7m4



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
0m2
1m1
1m2
2m1
2m3



Frequency
Cellular fraction



Purity: 0.46 Tumor ploidy: 5.792
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.46 Tumor ploidy: 5.792 SNV log−likelihood: −713.3 GoF: 82.3% Mean coverage: 448
1 4 5 12 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: −87.51
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 6
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
1m1
5m3
7m4
m0
2m1
4m2
5m2
3m1
1m0
5m1
2m0
4m0
5m0
6m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1
6m1


Frequency
Cellular fraction