






Purity: 0.87 Tumor ploidy: 4.491
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.87 Tumor ploidy: 4.491 SNV log−likelihood: −685.06 GoF: 47.5% Mean coverage: 388
1
3
4
7
13
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
SNV Index



SCNA−fit log−likelihood: 2106.62
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
0
20
40
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
20
40
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
3m3
4m4
4m3
3m2
2m1
4m2
5m2
3m1
4m1
1m0
2m0
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 3.911
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.29 Tumor ploidy: 3.911 SNV log−likelihood: −788.94 GoF: 74.8% Mean coverage: 388
1 3 4 5 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 2268.78
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m2
4m4
2m2
4m3
3m2
0m0
2m1
4m2
2m0
5m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
3m2
0m1
1m1
2m1
3m1
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 4.833
0
1
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.44 Tumor ploidy: 4.833 SNV log−likelihood: −758.31 GoF: 70.7% Mean coverage: 388
1 2 3 4 7 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 2163.41
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 3 4 6
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
3m0
3m2
3m3
4m0
4m1
4m2
5m0
5m1
5m2
5m3
5m5
6m0
6m2
6m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
3m1
4m1
4m2
4m3
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.26 Tumor ploidy: 2.919
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.26 Tumor ploidy: 2.919 SNV log−likelihood: −806.75 GoF: 71.4% Mean coverage: 388
1
3
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 2237.67
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
5
7
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m2
3m3
1m1
0m0
2m1
4m2
3m1
1m0
4m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
0m1
1m1
2m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.81 Tumor ploidy: 3.451
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.81 Tumor ploidy: 3.451 SNV log−likelihood: −828.88 GoF: 51.4% Mean coverage: 388
1
2
3
4
7
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 2090.48
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m3
3m2
2m1
4m2
3m1
4m1
1m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m3
3m2
2m1
3m1



Frequency
Cellular fraction



Purity: 0.88 Tumor ploidy: 5.469
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.88 Tumor ploidy: 5.469 SNV log−likelihood: −715.18 GoF: 76.3% Mean coverage: 388
1 2 3 4 7 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index
SCNA−fit log−likelihood: 1865.42
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6
0 10 20 30 40 50 60 70
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60 70
SNV Index



2m2
5m5
5m4
4m3
5m3
2m1
4m2
6m3
5m2
3m1
6m2
4m1
5m1
2m0
4m0
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 3.356
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.21 Tumor ploidy: 3.356 SNV log−likelihood: −855.43 GoF: 74.1% Mean coverage: 388
1
3
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 2137.87
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
1m2
3m4
3m3
1m1
0m0
2m1
4m2
1m0
2m0
5m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
3m1
5m1
2m2



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 1.451
0
1
2
3
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.44 Tumor ploidy: 1.451 SNV log−likelihood: −911.81 GoF: 32.6% Mean coverage: 388
1
3
4
5
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 2035.8
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
50
SNV Index



1m2
1m1
0m0
2m1
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.464
0
1
2
3
4
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.59 Tumor ploidy: 2.464 SNV log−likelihood: −888.35 GoF: 7.8% Mean coverage: 388
1
3
4
7
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
70
SNV Index
SCNA−fit log−likelihood: 1934.52
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m2
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.22 Tumor ploidy: 4.387
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.22 Tumor ploidy: 4.387 SNV log−likelihood: −833.87 GoF: 75.1% Mean coverage: 388
1
3
4
5
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 967.45
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
2
4
6
0
10
20
30
40
50
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
50
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
4m5
2m3
4m4
2m2
1m1
3m2
0m0
2m1
6m3
5m2
2m0
3m0
6m1
4m0
5m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
0m1
2m1
3m1
4m1
6m1


Power 0.8 at BQ 32
Frequency
Cellular fraction