






Purity: 0.62 Tumor ploidy: 4.167
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.62 Tumor ploidy: 4.167 SNV log−likelihood: −959.34 GoF: 74% Mean coverage: 475
1 2 4 7 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 2351.84
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 7
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
4m3
3m2
2m1
4m2
6m3
5m2
3m1
4m1
1m0
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 2.173
0
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.39 Tumor ploidy: 2.173 SNV log−likelihood: −989.7 GoF: 63.4% Mean coverage: 475
1
4
10
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 2279.91
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
7
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m2
1m0
2m1
3m2
2m0
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
4m4



Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 3.166
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.56 Tumor ploidy: 3.166 SNV log−likelihood: −984.18 GoF: 64% Mean coverage: 475
1 2 4 10 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 2264.09
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
1m1
2m2
3m3
2m1
3m2
4m2
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
−1.5
−1.0
−0.5
0.0
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
2
4
6
8
10
0.2
0.4
0.6
0.8
1.0



Purity: 0.3 Tumor ploidy: 3.359
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.3 Tumor ploidy: 3.359 SNV log−likelihood: −1043.5 GoF: 78.5% Mean coverage: 475
1 4 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 2351.8
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 4 6
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m2
2m3
3m0
3m1
3m2
4m0
4m1
4m2
4m4
6m3



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
3m1
3m2



Frequency
Cellular fraction



Purity: 0.53 Tumor ploidy: 5.254
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.53 Tumor ploidy: 5.254 SNV log−likelihood: −963.4 GoF: 82.8% Mean coverage: 475
1 2 4 7 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index
SCNA−fit log−likelihood: 2024.73
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 7
0 10 20 30 40 50 60 70
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
1m0
2m0
3m2
3m1
3m0
4m4
4m3
4m2
4m1
4m0
5m4
5m3
5m2
5m1
5m0
6m4
6m3
6m2
7m4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
4m2
3m1
4m1
5m4
5m1



Frequency
Cellular fraction



Purity: 0.38 Tumor ploidy: 5.369
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.38 Tumor ploidy: 5.369 SNV log−likelihood: −967.8 GoF: 86.2% Mean coverage: 475
1 4 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1992.16
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5 7
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
4m4
6m5
1m1
3m2
5m3
7m4
0m0
2m1
5m2
1m0
6m2
4m1
5m1
6m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
5m2
2m1
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 5.977
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.59 Tumor ploidy: 5.977 SNV log−likelihood: −927.06 GoF: 87.3% Mean coverage: 475
1 2 4 7 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60
SNV Index
SCNA−fit log−likelihood: 1661.92
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5 7
0 20 40 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
5m4
6m4
3m2
7m4
2m1
4m2
6m3
7m3
5m2
3m1
6m2
4m1
5m1
6m1
2m0
3m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2
6m2
3m1
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.72 Tumor ploidy: 3.145
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.72 Tumor ploidy: 3.145 SNV log−likelihood: −1074.11 GoF: 70.7% Mean coverage: 475
1 2 4 7 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: 1892.45
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 7
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
3m2
4m2
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m2
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.224
1
2
3
4
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.59 Tumor ploidy: 2.224 SNV log−likelihood: −999.02 GoF: 42% Mean coverage: 475
1 2 4 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1292.13
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 6
0 20 40 60 80
SNV Index


Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m1
2m2
3m1
3m2


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1


Power 0.8 at BQ 32
Frequency
Cellular fraction