






Purity: 0.27 Tumor ploidy: 3.897
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.27 Tumor ploidy: 3.897 SNV log−likelihood: −382.64 GoF: 74.6% Mean coverage: 541
6
14
16
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 2577.18
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
2m2
3m2
4m1
4m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
4m1



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 3.972
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.55 Tumor ploidy: 3.972 SNV log−likelihood: −385.8 GoF: 58.7% Mean coverage: 541
1
6
14
16
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 2556.01
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
1m0
2m0
3m2
3m1
3m0
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.22 Tumor ploidy: 2.898
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.22 Tumor ploidy: 2.898 SNV log−likelihood: −408.12 GoF: 77% Mean coverage: 541
6
14
16
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 2594.78
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



Allelic fraction (germline)
0.3
0.4
0.5
0.6
0.7
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
2m2
1m1
3m2
0m0
1m0
3m0



Coverage (log2)
4
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
3m1



Frequency
0
1
2
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.75 Tumor ploidy: 5.956
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.75 Tumor ploidy: 5.956 SNV log−likelihood: −321.13 GoF: 90.1% Mean coverage: 541
1
6
13
14
16
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 2347.03
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
5m3
2m1
4m2
6m3
5m2
6m2
4m1
5m1
2m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.38 Tumor ploidy: 1.977
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.38 Tumor ploidy: 1.977 SNV log−likelihood: −413.12 GoF: 51.7% Mean coverage: 541
6
14
16
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 2491.31
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.5 Tumor ploidy: 2.97
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.5 Tumor ploidy: 2.97 SNV log−likelihood: −433.81 GoF: 31% Mean coverage: 541
1
6
14
16
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 2517.22
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m2
0m0
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 5.144
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.44 Tumor ploidy: 5.144 SNV log−likelihood: −364.77 GoF: 76.8% Mean coverage: 541
1
6
14
16
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 2293.63
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
6
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
4m3
5m3
4m2
5m2
3m1
1m0
4m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.51 Tumor ploidy: 5.796
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.51 Tumor ploidy: 5.796 SNV log−likelihood: −370.5 GoF: 70.7% Mean coverage: 541
1
6
14
16
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 2257.97
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
7
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
3m1
1m0
4m3
4m2
4m1
4m0
5m3
6m3
6m2
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 4.832
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.21 Tumor ploidy: 4.832 SNV log−likelihood: −413.95 GoF: 81.8% Mean coverage: 541
6
14
16
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 2332.33
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m2
3m2
4m3
5m3
3m1
5m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
1m2
2m1
2m2
3m1
5m1



Frequency
Cellular fraction



Purity: 0.93 Tumor ploidy: 3.96
2
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.93 Tumor ploidy: 3.96 SNV log−likelihood: −438.51 GoF: 49.5% Mean coverage: 541
6
13
14
16
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 2295.34
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
2m1
4m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 1.958
0
1
2
3
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.59 Tumor ploidy: 1.958 SNV log−likelihood: −568.66 GoF: 0% Mean coverage: 541
1
6
14
16
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 1473.25
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.23 Tumor ploidy: 2.105
0
1
2
3
4
5
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.23 Tumor ploidy: 2.105 SNV log−likelihood: −422.59 GoF: 68.7% Mean coverage: 541
6
14
16
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −1501.27
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
20
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m1
1m1
0m0
1m0
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1


Frequency
Cellular fraction