






Purity: 0.15 Tumor ploidy: 3.384
0
1
2
3
4
5
6
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 3.384 SNV log−likelihood: −397.39 GoF: 78.8% Mean coverage: 339
2
4
5
11
12
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 612.86
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
3m3
2m1
4m2
1m0
3m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
−0.6
−0.4
−0.2
0.0
0.2
0.4
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
3m2
1m1
2m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.16 Tumor ploidy: 5.169
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.16 Tumor ploidy: 5.169 SNV log−likelihood: −411.91 GoF: 83.6% Mean coverage: 339
2
4
5
11
12
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 655.65
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
3m3
5m4
6m3
3m1
5m1
3m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
5m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 5.02
4
5
6
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.57 Tumor ploidy: 5.02 SNV log−likelihood: −359.35 GoF: 86.3% Mean coverage: 339
2 4 5 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: 495.49
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 5 10 15 20 25 30
SNV Index



4m4
5m4
5m3
4m2
5m2
4m1
5m1
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 5.007
4
5
6
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.43 Tumor ploidy: 5.007 SNV log−likelihood: −370.24 GoF: 86.4% Mean coverage: 339
2
4
5
11
12
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 512.45
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
4m2
4m1
4m0
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
4m1
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.66 Tumor ploidy: 4.019
3
4
5
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.66 Tumor ploidy: 4.019 SNV log−likelihood: −368.73 GoF: 73.3% Mean coverage: 339
2 4 5 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: 478.96
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 7
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 5 10 15 20 25 30 35
SNV Index



3m3
4m3
3m2
4m2
3m1
4m1
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
−0.6
−0.4
−0.2
0.0
0.2
0.4



Frequency
Cellular fraction
0
1
0.80
0.85
0.90
0.95
1.00



Purity: 0.24 Tumor ploidy: 3.91
0
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.24 Tumor ploidy: 3.91 SNV log−likelihood: −389.83 GoF: 84% Mean coverage: 339
2
4
5
11
12
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 512.53
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
4m4
3m3
4m3
2m1
4m2
2m0
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 5.978
5
6
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.54 Tumor ploidy: 5.978 SNV log−likelihood: −357.54 GoF: 90.3% Mean coverage: 339
2 4 5 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: 453.17
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
4 5 6 7
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30 35
SNV Index



5m5
6m4
5m3
6m3
5m2
6m2
5m1
6m1
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
−0.6
−0.4
−0.2
0.0
0.2
0.4



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.95 Tumor ploidy: 4.006
4
5
6
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.95 Tumor ploidy: 4.006 SNV log−likelihood: −352.27 GoF: 70.1% Mean coverage: 339
2 4 5 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 401.73
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.88 Tumor ploidy: 2.999
3
4
5
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.88 Tumor ploidy: 2.999 SNV log−likelihood: −313.71 GoF: 74.6% Mean coverage: 339
2 4 5 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: 278.77
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
3m1
3m0
0.0
0.2
0.4
0.6
0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.08
0.10
0.12
0.14
0.16
−0.6
−0.4
−0.2
0.0
0.2
0.4



Frequency
Cellular fraction
0
1
0.5
0.6
0.7
0.8
0.9
1.0



Purity: 0.42 Tumor ploidy: 5.997
4
5
6
7
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.42 Tumor ploidy: 5.997 SNV log−likelihood: −368.69 GoF: 91.1% Mean coverage: 339
2 4 5 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: 395.53
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
4 5 6 7
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30
SNV Index



5m5
6m5
6m4
5m3
6m3
5m2
6m2
5m1
6m1
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.06
0.08
0.10
0.12
0.14
0.16
−0.6
−0.4
−0.2
0.0
0.2
0.4



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.63 Tumor ploidy: 3.006
3
4
5
0.14
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.63 Tumor ploidy: 3.006 SNV log−likelihood: −401.01 GoF: 73.2% Mean coverage: 339
2 4 5 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: 409.79
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 5 10 15 20 25 30 35
SNV Index



2m2
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
0.35
−0.6
−0.4
−0.2
0.0
0.2
0.4



Frequency
Cellular fraction
0
1
0.6
0.7
0.8
0.9
1.0



Purity: 0.32 Tumor ploidy: 2.091
0
1
2
3
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.32 Tumor ploidy: 2.091 SNV log−likelihood: −386.13 GoF: 73.5% Mean coverage: 339
2 4 5 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
5 10 15 20 25
SNV Index
SCNA−fit log−likelihood: 307.34
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 2 3 6
5 10 15 20 25
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
5 10 15 20 25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.79 Tumor ploidy: 1.999
1
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio


Purity: 0.79 Tumor ploidy: 1.999 SNV log−likelihood: −370.59 GoF: 80.3% Mean coverage: 339
2 4 5 11 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: 223.45
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 5 10 15 20 25 30 35
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m1
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Frequency
Cellular fraction