






Purity: 0.15 Tumor ploidy: 2.072
0
1
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.3
−0.2
−0.1
0.0
0.1
0.2
log2 ratio



Purity: 0.15 Tumor ploidy: 2.072 SNV log−likelihood: −1446.91 GoF: 69% Mean coverage: 419
2 3 5 9 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 2697.16
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 2 4
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m2



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
1m2
2m2



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.996
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.55 Tumor ploidy: 5.996 SNV log−likelihood: −1017.62 GoF: 91.7% Mean coverage: 419
1 2 3 5 6 7 9 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index
SCNA−fit log−likelihood: 2671.22
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6 7
0 20 40 60 80 100
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m3
4m1
3m0
5m1
5m0
6m6
6m5
6m4
6m3
6m2
6m1
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1



Frequency
Cellular fraction



Purity: 0.62 Tumor ploidy: 5.012
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.62 Tumor ploidy: 5.012 SNV log−likelihood: −1004.74 GoF: 90.1% Mean coverage: 419
1 2 3 5 6 7 9 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index
SCNA−fit log−likelihood: 2625.08
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6
0 20 40 60 80 100
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
5m5
5m4
5m3
4m2
5m2
4m1
5m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
5m5
5m2
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 3.996
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.58 Tumor ploidy: 3.996 SNV log−likelihood: −1046.94 GoF: 85.4% Mean coverage: 419
1 2 3 5 6 7 9 11 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 2656
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m4
4m3
3m2
4m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m4
4m2
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 5.012
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.39 Tumor ploidy: 5.012 SNV log−likelihood: −1102.69 GoF: 86% Mean coverage: 419
1 2 3 5 6 9 11 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 2688.83
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
3m1
2m0
4m0
5m5
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.79 Tumor ploidy: 2
2
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.79 Tumor ploidy: 2 SNV log−likelihood: −1107.15 GoF: 71.7% Mean coverage: 419
1 2 3 5 6 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index
SCNA−fit log−likelihood: 2632.98
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2
0 20 40 60 80 100
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m2
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 3.001
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.55 Tumor ploidy: 3.001 SNV log−likelihood: −1098.29 GoF: 73.7% Mean coverage: 419
1 2 3 5 6 9 11 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 2638.06
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
1m0
3m3
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1
3m3
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 4.012
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.37 Tumor ploidy: 4.012 SNV log−likelihood: −1128.38 GoF: 83.2% Mean coverage: 419
1 2 3 5 6 9 11 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60
SNV Index



SCNA−fit log−likelihood: 2687.82
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 20 40 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
1m0
3m0
4m4
4m3
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
3m1
4m1
4m4



Frequency
Cellular fraction



Purity: 0.62 Tumor ploidy: 2
1
2
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.62 Tumor ploidy: 2 SNV log−likelihood: −1151.4 GoF: 54.2% Mean coverage: 419
1 2 3 5 6 7 9 11 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 2641.43
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m2
2m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.23 Tumor ploidy: 6
2
3
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.23 Tumor ploidy: 6 SNV log−likelihood: −1180.89 GoF: 84% Mean coverage: 419
1 2 3 5 6 10 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: 2708.26
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 5 7
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m5
6m4
6m3
6m2
6m1
6m0
5m0
3m3
3m0
2m2
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m2
5m1
6m1



Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 3.012
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.25 Tumor ploidy: 3.012 SNV log−likelihood: −1238.22 GoF: 80% Mean coverage: 419
2 3 5 6 10 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 2698.29
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m2
2m1
3m1



Frequency
Cellular fraction



Purity: 0.94 Tumor ploidy: 3
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.94 Tumor ploidy: 3 SNV log−likelihood: −1222.39 GoF: 61.1% Mean coverage: 419
1 2 3 5 6 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 2640.95
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



2m2
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.17 Tumor ploidy: 5.183
2
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.17 Tumor ploidy: 5.183 SNV log−likelihood: −1295.5 GoF: 76.9% Mean coverage: 419
2 3 5 6 10 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 2706.84
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 2 4 6
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
5m6
5m5
5m3
5m2
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
4m2
5m3
5m2
4m1
5m1



Frequency
Cellular fraction



Purity: 0.78 Tumor ploidy: 3.001
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.78 Tumor ploidy: 3.001 SNV log−likelihood: −1004.36 GoF: 88.7% Mean coverage: 419
1 2 3 5 6 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 2638.87
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4
0 20 40 60 80 100
SNV Index


Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100
SNV Index


2m2
3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
3m2
3m1
Allelic fraction (somatic)
Copy Number log−ratio


Frequency
Cellular fraction