






Purity: 0.19 Tumor ploidy: 1.999
0
1
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.19 Tumor ploidy: 1.999 SNV log−likelihood: −1383.66 GoF: 79.8% Mean coverage: 384
1 2 3 5 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1823.35
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 2 4 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m2
2m1
3m2



Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 4
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.57 Tumor ploidy: 4 SNV log−likelihood: −1137.83 GoF: 81% Mean coverage: 384
1 2 3 5 6 7 9 11 12 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1814.37
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m4
4m3
3m2
4m2
3m1
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
4m3
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.999
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.55 Tumor ploidy: 5.999 SNV log−likelihood: −1153.02 GoF: 88.5% Mean coverage: 384
1 2 3 5 6 7 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100 120
SNV Index



SCNA−fit log−likelihood: 1812.87
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0
7 6 5 3
0 20 40 60 80 100 120
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80 100 120
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
6m6
6m5
6m4
6m3
5m2
6m2
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1



Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.999
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.45 Tumor ploidy: 5.999 SNV log−likelihood: −1172.22 GoF: 89.1% Mean coverage: 384
1 2 3 5 6 7 9 11 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1815.03
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6 7
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m2
5m0
6m6
6m5
6m4
6m3
6m2
6m1
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m3
6m1



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 3
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.59 Tumor ploidy: 3 SNV log−likelihood: −1182.7 GoF: 76.7% Mean coverage: 384
1 2 3 5 6 7 9 11 12 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index
SCNA−fit log−likelihood: 1809.04
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 20 40 60 80 100
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
3m1
3m0
2m1
0.0
0.2
0.4
0.6
0.8
−0.8
−0.6
−0.4
−0.2
0.0
0.2



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
3m1
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−0.8
−0.6
−0.4
−0.2
0.0
0.2



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.41 Tumor ploidy: 4.999
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.41 Tumor ploidy: 4.999 SNV log−likelihood: −1188.92 GoF: 86.5% Mean coverage: 384
1 2 3 5 6 7 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1815.19
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6 7
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
4m0
5m5
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m3
4m1
5m1



Frequency
Cellular fraction



Purity: 0.4 Tumor ploidy: 3
1
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.4 Tumor ploidy: 3 SNV log−likelihood: −1228.91 GoF: 80.1% Mean coverage: 384
1 2 3 5 6 7 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1811.61
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4 6
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
2m1
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
3m1



Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 2
1
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.37 Tumor ploidy: 2 SNV log−likelihood: −1256.66 GoF: 79.6% Mean coverage: 384
1 2 3 5 6 7 10 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1814.36
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2
1
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.59 Tumor ploidy: 2 SNV log−likelihood: −1259.53 GoF: 59.5% Mean coverage: 384
1 2 3 5 6 7 9 12 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1798.49
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 5.986
2
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.25 Tumor ploidy: 5.986 SNV log−likelihood: −1291.14 GoF: 90.6% Mean coverage: 384
1 2 3 5 6 7 9 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1828.08
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 4 6
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m6
6m5
6m4
4m2
6m3
6m2
6m1
7m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
5m3
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2
6m2
5m1
6m1



Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 3.999
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.21 Tumor ploidy: 3.999 SNV log−likelihood: −1336.49 GoF: 87.2% Mean coverage: 384
1 2 3 5 6 7 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: 1834.67
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
4m4
4m3
4m2
4m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m3
3m2
4m2
3m1
4m1



Frequency
Cellular fraction



Purity: 0.78 Tumor ploidy: 3
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.78 Tumor ploidy: 3 SNV log−likelihood: −1127.59 GoF: 86.8% Mean coverage: 384
1 2 3 5 6 7 9 12 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100 120
SNV Index



SCNA−fit log−likelihood: 1799.14
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4
0 20 40 60 80 100 120
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100 120
SNV Index



2m2
3m3
3m2
2m1
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 5.919
3
5
6
7
Fraction Genome
0.00
0.05
0.10
0.15
0.20
0.25
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.15 Tumor ploidy: 5.919 SNV log−likelihood: −1372.74 GoF: 86.7% Mean coverage: 384
1 2 3 5 6 7 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1818.57
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 3 5 7
0 20 40 60 80
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
5m5
6m6
6m4
6m3
3m1
6m2
6m1
6m0
7m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m3
6m3
5m2
6m2
6m1


Frequency
Cellular fraction