






Purity: 0.15  Tumor ploidy: 2.073
1
2
3
4
5
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.1
0.0
0.1
0.2
0.3
0.4
0.5
log2 ratio



Purity: 0.15 Tumor ploidy: 2.073 SNV log−likelihood: −1510.36 GoF: 71.9% Mean coverage: 390
1 2 3 4 5 7 10 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1824.53
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
0 2 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
3m3
2m2
0m0
2m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
3m2
1m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.59  Tumor ploidy: 5.012
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.59 Tumor ploidy: 5.012 SNV log−likelihood: −1191.54 GoF: 82.8% Mean coverage: 390
1 2 3 4 5 6 7 9 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80 100 120
SNV Index
SCNA−fit log−likelihood: 1740.31
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5 7
0 20 40 60 80 100 120
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80 100 120
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
5m5
5m4
5m3
5m2
3m1
4m1
5m1
2m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m5
5m2
4m1
5m1



Frequency
Cellular fraction



Purity: 0.37  Tumor ploidy: 4.999
2
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.37 Tumor ploidy: 4.999 SNV log−likelihood: −1209.57 GoF: 84.9% Mean coverage: 390
1 2 3 4 5 6 7 11 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index
SCNA−fit log−likelihood: 1768.06
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 4 6
0 20 40 60 80 100
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m0
4m0
5m5
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1



Frequency
Cellular fraction



Purity: 0.66  Tumor ploidy: 3.002
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.66 Tumor ploidy: 3.002 SNV log−likelihood: −1209.67 GoF: 73.8% Mean coverage: 390
1 2 3 4 5 6 7 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100 120
SNV Index



SCNA−fit log−likelihood: 1726.49
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 20 40 60 80 100 120
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100 120
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m3
3m2
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
3m2
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.5  Tumor ploidy: 3.002
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.5 Tumor ploidy: 3.002 SNV log−likelihood: −1223.38 GoF: 74.1% Mean coverage: 390
1 2 3 4 5 6 7 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100 120
SNV Index



SCNA−fit log−likelihood: 1741.76
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 20 40 60 80 100 120
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100 120
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
2m0
3m3
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.37  Tumor ploidy: 3.999
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.37 Tumor ploidy: 3.999 SNV log−likelihood: −1230.34 GoF: 81.7% Mean coverage: 390
1 2 3 4 5 6 9 11 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index
SCNA−fit log−likelihood: 1767.28
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 5 7
0 20 40 60 80 100
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
2m0
3m0
4m4
4m3
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP and POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1



Frequency
Cellular fraction



Purity: 0.55  Tumor ploidy: 5.999
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.55 Tumor ploidy: 5.999 SNV log−likelihood: −1234.58 GoF: 83.5% Mean coverage: 390
1 2 3 4 5 6 7 9 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80 100 120
SNV Index



SCNA−fit log−likelihood: 1759.89
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
7 5 4 3
0 20 40 60 80 100 120
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80 100 120
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
6m6
6m5
6m4
6m3
6m2
4m1
5m1
6m1
3m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1



Frequency
Cellular fraction



Purity: 0.25  Tumor ploidy: 6
2
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.25 Tumor ploidy: 6 SNV log−likelihood: −1306.23 GoF: 84% Mean coverage: 390
1 2 3 4 5 6 7 11 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index
SCNA−fit log−likelihood: 1801.86
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 5 7
0 20 40 60 80 100
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
2m0
6m6
6m5
6m4
6m3
6m2
6m1
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.23  Tumor ploidy: 5.056
1
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.23 Tumor ploidy: 5.056 SNV log−likelihood: −1326.07 GoF: 81.5% Mean coverage: 390
1 2 3 4 5 6 9 11 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1819.33
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 4 6
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
1m0
4m0
5m6
5m5
5m4
5m3
5m2
5m1
5m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2
6m2
4m1
5m1
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
2
4
6
8
10
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.34  Tumor ploidy: 2.002
0
1
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.34 Tumor ploidy: 2.002 SNV log−likelihood: −1323.15 GoF: 74.9% Mean coverage: 390
1 2 3 4 5 6 9 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1743.63
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
2m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.73  Tumor ploidy: 2
1
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.73 Tumor ploidy: 2 SNV log−likelihood: −1323.4 GoF: 60.9% Mean coverage: 390
1 2 3 5 6 7 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100 120
SNV Index
SCNA−fit log−likelihood: 1720.75
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3
0 20 40 60 80 100 120
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80 100 120
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.92  Tumor ploidy: 3.002
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.92 Tumor ploidy: 3.002 SNV log−likelihood: −1410.84 GoF: 59.1% Mean coverage: 390
1 2 3 4 5 6 7 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index
SCNA−fit log−likelihood: 1722.2
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4
0 20 40 60 80 100
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
3m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.15  Tumor ploidy: 5.877
0
1
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.15 Tumor ploidy: 5.877 SNV log−likelihood: −1443.15 GoF: 80.1% Mean coverage: 390
1
2
3
4
5
7
10
12
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: 1807.71
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
4
7
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
5m0
5m5
6m0
6m2
6m3
6m4
6m5
6m6
6m7



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
4m2
4m4
5m2
5m3
6m1
6m2
6m3
7m2



Frequency
Cellular fraction



Purity: 0.55  Tumor ploidy: 4.002
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.55 Tumor ploidy: 4.002 SNV log−likelihood: −1167.28 GoF: 82% Mean coverage: 390
1 2 3 4 5 6 7 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1742.89
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
2 3 4 5
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m4
4m3
2m1
4m2
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m2
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.15  Tumor ploidy: 1.404
0
1
2
3
4
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.1
0.0
0.1
0.2
0.3
0.4
0.5
log2 ratio



Purity: 0.15 Tumor ploidy: 1.404 SNV log−likelihood: −1758.52 GoF: 63.6% Mean coverage: 390
1 2 3 4 5 7 10 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1720.06
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 7
0 20 40 60 80
SNV Index


Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80
SNV Index


Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
Copy Number log−ratio
2m2
1m1
0m0
1m0
2m0


Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m2
2m2
0m1
1m1
2m1


Frequency
0
2
4
6
8
10
12
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction