






Purity: 0.15 Tumor ploidy: 1.978
0
1
2
3
4
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.15 Tumor ploidy: 1.978 SNV log−likelihood: −981.69 GoF: 67% Mean coverage: 302
1 2 3 5 9 10 12 14 16 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1484.87
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m2
2m2
1m1
0m0
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m2
2m2
0m1
1m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.988
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.55 Tumor ploidy: 5.988 SNV log−likelihood: −779.72 GoF: 86.6% Mean coverage: 302
1
2
3
5
7
9
10
12
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: 1439.03
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
7
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m4
6m6
6m5
6m4
4m2
6m3
6m2
6m1
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
6m2
6m1



Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 3.997
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.54 Tumor ploidy: 3.997 SNV log−likelihood: −799.99 GoF: 74.7% Mean coverage: 302
1
2
3
5
7
9
10
12
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: 1418.11
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
4m4
3m2
4m3
4m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.998
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.45 Tumor ploidy: 5.998 SNV log−likelihood: −819.85 GoF: 87.2% Mean coverage: 302
1
2
3
5
7
9
10
12
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
50
60
70
SNV Index



SCNA−fit log−likelihood: 1445.27
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
6
0
10
20
30
40
50
60
70
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
60
70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m4
6m6
6m5
6m4
4m2
6m3
6m2
7m2
6m1
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 5.006
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.39 Tumor ploidy: 5.006 SNV log−likelihood: −823.43 GoF: 82.4% Mean coverage: 302
1
2
3
5
7
9
10
12
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1445.32
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
6
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
3m1
2m0
3m0
5m5
5m4
5m3
5m2
5m1
6m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 3.001
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.55 Tumor ploidy: 3.001 SNV log−likelihood: −825.71 GoF: 64.6% Mean coverage: 302
1
2
3
5
7
9
10
12
14
16
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 1405.32
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
3m3
3m2
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.26 Tumor ploidy: 4.944
2
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.26 Tumor ploidy: 4.944 SNV log−likelihood: −840.27 GoF: 82.6% Mean coverage: 302
1
2
3
5
7
9
10
12
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
1.0
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1460.56
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
4
6
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m1
2m0
4m4
4m3
4m2
4m1
4m0
5m5
5m4
5m2
5m1
5m0
6m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
4m1
5m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 5.912
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.21 Tumor ploidy: 5.912 SNV log−likelihood: −869.14 GoF: 80.9% Mean coverage: 302
1 2 3 5 7 9 10 12 14 16
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1515.45
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m1
2m0
3m0
5m5
6m6
6m5
5m4
5m3
5m1
6m1
7m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.23 Tumor ploidy: 3.015
0
1
2
3
4
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.23 Tumor ploidy: 3.015 SNV log−likelihood: −855.94 GoF: 82% Mean coverage: 302
1 2 3 5 7 9 10 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 1469.08
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4 7
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m3
3m3
2m2
3m2
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
3m2
0m1
1m1
2m1
3m1
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.94 Tumor ploidy: 3.001
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.94 Tumor ploidy: 3.001 SNV log−likelihood: −835.22 GoF: 73.8% Mean coverage: 302
1 2 3 5 7 9 10 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1394.55
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



2m2
3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 2.001
1
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.57 Tumor ploidy: 2.001 SNV log−likelihood: −857.35 GoF: 47.8% Mean coverage: 302
1 2 3 5 7 9 10 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1396.53
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m2
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.8 Tumor ploidy: 3.001
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.8 Tumor ploidy: 3.001 SNV log−likelihood: −743.09 GoF: 90.1% Mean coverage: 302
1
2
3
5
7
9
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: 1395.82
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
0
20
40
60
80
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
20
40
60
80
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
2m1
3m1
2m0
3m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1


Power 0.8 at BQ 33
Frequency
Cellular fraction