






Purity: 0.17 Tumor ploidy: 1.974
0
1
2
3
4
5
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.17 Tumor ploidy: 1.974 SNV log−likelihood: −1046.22 GoF: 81% Mean coverage: 377
1 2 3 4 5 6 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1462.89
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio
0m0
2m2
2m0
3m0



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio
0m2
2m2
0m1
1m1
2m1
3m1



Frequency
0
2
4
6
8
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.62 Tumor ploidy: 5
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.62 Tumor ploidy: 5 SNV log−likelihood: −844.45 GoF: 85.8% Mean coverage: 377
1 2 3 5 6 7 11 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: 1407.7
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3 4 5 7
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
3m1
3m0
4m0
5m5
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Frequency
Cellular fraction



Purity: 0.53 Tumor ploidy: 4
2
3
4
5
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.53 Tumor ploidy: 4 SNV log−likelihood: −872.43 GoF: 80.7% Mean coverage: 377
1 2 3 5 6 11 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1426.98
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5 7
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m4
4m3
4m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 5.998
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.54 Tumor ploidy: 5.998 SNV log−likelihood: −878.59 GoF: 88.1% Mean coverage: 377
1 2 3 5 6 7 11 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1437.45
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3 4 5 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
6m6
6m5
6m4
4m2
6m3
6m2
5m1
6m1
3m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1



Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 2
0
1
2
3
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.36 Tumor ploidy: 2 SNV log−likelihood: −891.78 GoF: 73.8% Mean coverage: 377
1 2 3 5 6 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1429.71
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.53 Tumor ploidy: 3.001
2
3
4
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.53 Tumor ploidy: 3.001 SNV log−likelihood: −898.21 GoF: 69.4% Mean coverage: 377
1 2 3 5 6 11 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1426.14
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
1m0
2m0
3m3
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 4.998
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.39 Tumor ploidy: 4.998 SNV log−likelihood: −896.47 GoF: 86.2% Mean coverage: 377
1 2 3 5 6 10 11 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 1438.58
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 6
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
3m1
2m0
4m0
5m5
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.966
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.33 Tumor ploidy: 5.966 SNV log−likelihood: −911.55 GoF: 88.5% Mean coverage: 377
1 2 3 5 6 10 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 1449.94
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 5 7
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
3m1
2m0
6m6
6m5
6m4
6m3
6m2
6m1
7m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 2.967
0
1
2
3
4
5
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.25 Tumor ploidy: 2.967 SNV log−likelihood: −939.86 GoF: 82.1% Mean coverage: 377
1 2 3 5 6 10 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1452.54
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 3 5 7
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m0
4m0
3m2
3m3



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.001
1
2
3
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.59 Tumor ploidy: 2.001 SNV log−likelihood: −943.8 GoF: 43.9% Mean coverage: 377
1 2 3 5 6 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1401.06
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
1m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.17 Tumor ploidy: 4.978
0
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.17 Tumor ploidy: 4.978 SNV log−likelihood: −971.62 GoF: 85.3% Mean coverage: 377
1 2 3 5 6 10 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1478.21
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4 7
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
1m0
5m5
5m3
4m0
5m0
6m1
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
5m2
3m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.001
2
3
4
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.95 Tumor ploidy: 3.001 SNV log−likelihood: −1012.9 GoF: 61.4% Mean coverage: 377
1 3 5 6 10 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: 1397.37
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



2m2
3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.81 Tumor ploidy: 3.001
2
3
4
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.81 Tumor ploidy: 3.001 SNV log−likelihood: −793.8 GoF: 82.3% Mean coverage: 377
1 2 3 5 6 10 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1402.8
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 20 40 60 80
SNV Index


Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
2m1
3m1
2m0
3m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
3m2
3m1


Power 0.8 at BQ 33
Frequency
Cellular fraction