






Purity: 0.3 Tumor ploidy: 2.001
0
1
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.3 Tumor ploidy: 2.001 SNV log−likelihood: −1229.9 GoF: 77.7% Mean coverage: 504
1 2 3 5 6 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1809.64
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 2 3
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60
SNV Index



0m2
1m2
3m3
2m2
1m1
0m0
2m1
3m1
1m0
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m2
0m1
1m1
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.48 Tumor ploidy: 4.001
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.48 Tumor ploidy: 4.001 SNV log−likelihood: −1021.76 GoF: 78.2% Mean coverage: 504
1 2 3 4 5 6 10 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1803.05
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80
SNV Index



2m3
3m4
4m4
3m3
2m2
5m4
4m3
3m2
2m1
4m2
5m2
3m1
4m1
5m1
2m0
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.88 Tumor ploidy: 3.001
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.88 Tumor ploidy: 3.001 SNV log−likelihood: −1066.72 GoF: 70.1% Mean coverage: 504
1 2 3 5 6 12 14 16 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: 1782.68
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



2m2
3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 3.001
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.44 Tumor ploidy: 3.001 SNV log−likelihood: −1078.06 GoF: 68.1% Mean coverage: 504
1 2 3 4 5 6 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1793.64
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60 70
SNV Index



1m2
1m1
1m0
2m1
2m0
3m3
3m2
3m1
3m0
4m4
4m3
4m2
4m1
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 4.001
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.37 Tumor ploidy: 4.001 SNV log−likelihood: −1090.72 GoF: 79.9% Mean coverage: 504
1 2 3 4 5 6 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1815.3
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
2m3
2m2
2m1
3m4
3m3
3m2
3m1
3m0
4m4
4m3
4m2
4m1
4m0
5m4
5m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.66 Tumor ploidy: 3.001
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.66 Tumor ploidy: 3.001 SNV log−likelihood: −1075.47 GoF: 70.6% Mean coverage: 504
1
2
3
5
6
10
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: 1782.47
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m2
3m2
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.955
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.55 Tumor ploidy: 5.955 SNV log−likelihood: −979.03 GoF: 85% Mean coverage: 504
1
2
3
4
5
6
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: 1483.97
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m4
5m5
6m6
7m7
6m5
5m4
4m3
6m4
5m3
4m2
6m3
7m3
5m2
6m2
7m2
5m1
6m1
3m0
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
5m1
6m1
7m1
7m8



Frequency
Cellular fraction



Purity: 0.27 Tumor ploidy: 5.003
2
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.27 Tumor ploidy: 5.003 SNV log−likelihood: −1155 GoF: 84.4% Mean coverage: 504
1 2 3 5 6 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1816.34
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 4 5 7
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m4
4m5
2m3
1m2
5m5
4m4
6m5
5m4
4m3
5m3
2m1
6m3
1m0
4m1
5m1
6m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m5
5m2
1m1
2m1
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.79 Tumor ploidy: 2
2
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.79 Tumor ploidy: 2 SNV log−likelihood: −1160.77 GoF: 76.6% Mean coverage: 504
1 2 3 5 6 10 12 14 16 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1771.97
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 2.001
1
2
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.56 Tumor ploidy: 2.001 SNV log−likelihood: −1178.19 GoF: 43% Mean coverage: 504
1
2
3
4
5
6
10
12
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
SNV Index



SCNA−fit log−likelihood: 1784.72
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
0
20
40
60
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
20
40
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m2
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 5.955
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.44 Tumor ploidy: 5.955 SNV log−likelihood: −1052.39 GoF: 87.8% Mean coverage: 504
1 2 3 4 5 6 10 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1553.59
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m5
5m5
6m6
4m4
3m3
7m6
6m5
4m3
7m5
6m4
5m3
4m2
6m3
7m3
5m2
6m2
7m2
5m1
6m1
3m0
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m3
3m1
4m1
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.955
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.33 Tumor ploidy: 5.955 SNV log−likelihood: −1103.04 GoF: 87.9% Mean coverage: 504
1 2 3 4 5 6 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1622.46
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m4
3m3
3m2
4m2
3m0
5m5
5m3
5m2
5m0
6m6
6m5
6m4
6m3
6m2
6m1
6m0
7m6
7m3
7m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.6 Tumor ploidy: 5.001
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.6 Tumor ploidy: 5.001 SNV log−likelihood: −956.57 GoF: 81.3% Mean coverage: 504
1
2
3
4
5
6
10
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: 1797.46
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m4
5m5
6m6
5m4
4m3
3m2
5m3
4m2
5m2
6m2
4m1
5m1
3m0
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
6m2
3m1
4m1
5m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.17 Tumor ploidy: 4.991
1
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.17 Tumor ploidy: 4.991 SNV log−likelihood: −1287.98 GoF: 86.8% Mean coverage: 504
1 2 3 5 6 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1820.74
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 3 5 7
0 10 20 30 40 50 60
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m5
1m3
1m1
0m0
6m7
4m5
5m5
4m4
4m3
5m3
6m3
5m2
5m1
4m0
5m0
6m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m3
5m3
1m2
4m2
5m2
0m1
1m1
3m1
4m1
5m1
6m1


Frequency
Cellular fraction