






Purity: 0.29 Tumor ploidy: 1.994
1
2
3
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.29 Tumor ploidy: 1.994 SNV log−likelihood: −1673.04 GoF: 76.1% Mean coverage: 416
1 2 3 4 5 7 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 2152.65
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m2
2m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.994
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.45 Tumor ploidy: 5.994 SNV log−likelihood: −1401.2 GoF: 89.5% Mean coverage: 416
1 2 3 4 5 6 9 12 13 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100 120
SNV Index



SCNA−fit log−likelihood: 2150.51
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6 7
0 20 40 60 80 100 120
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80 100 120
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m3
4m1
3m0
5m0
6m6
6m5
6m4
6m3
6m2
6m1
6m0
7m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
6m6
6m4
6m2
6m1



Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 3
2
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.56 Tumor ploidy: 3 SNV log−likelihood: −1406.85 GoF: 76.1% Mean coverage: 416
1 2 3 4 5 6 9 12 13 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100 120 140
SNV Index



SCNA−fit log−likelihood: 2133.24
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 20 40 60 80 100 120 140
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80 100 120 140
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
2m1
3m1
2m0
3m0
4m



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.991
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.33 Tumor ploidy: 5.991 SNV log−likelihood: −1447.04 GoF: 90.9% Mean coverage: 416
1 2 3 4 5 6 9 12 13 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100 120
SNV Index



SCNA−fit log−likelihood: 2157.68
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6
0 20 40 60 80 100 120
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80 100 120
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
3m1
3m0
5m0
6m6
6m5
6m4
6m3
6m2
6m1
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
6m4
6m2
6m1



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.994
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.55 Tumor ploidy: 5.994 SNV log−likelihood: −1444.17 GoF: 86.9% Mean coverage: 416
1 2 3 5 6 7 10 12 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100 120 140
SNV Index



SCNA−fit log−likelihood: 2150.03
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
4 5 6 7
0 20 40 60 80 100 120 140
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80 100 120 140
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
6m6
6m5
4m3
6m4
6m3
6m2
4m1
6m1
7m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m6
6m3
4m1
6m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 4.994
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.33 Tumor ploidy: 4.994 SNV log−likelihood: −1474.59 GoF: 88.6% Mean coverage: 416
1 2 3 4 5 6 9 11 13 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100 120
SNV Index



SCNA−fit log−likelihood: 2155.82
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6
0 20 40 60 80 100 120
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80 100 120
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
3m1
2m0
3m0
4m0
5m5
5m4
5m3
5m2
5m1
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
5m4
5m1



Frequency
Cellular fraction



Purity: 0.68 Tumor ploidy: 3
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.68 Tumor ploidy: 3 SNV log−likelihood: −1474.76 GoF: 76.1% Mean coverage: 416
1 2 3 5 6 7 9 11 12 13 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 50 100 150
SNV Index



SCNA−fit log−likelihood: 2135.78
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4
0 50 100 150
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 50 100 150
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
2m1
3m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 2
1
2
3
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.54 Tumor ploidy: 2 SNV log−likelihood: −1541.43 GoF: 63.7% Mean coverage: 416
1 2 3 4 5 6 9 11 13 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100 120 140
SNV Index



SCNA−fit log−likelihood: 2135.99
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3
0 20 40 60 80 100 120 140
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100 120 140
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.27 Tumor ploidy: 2.991
1
2
3
4
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.27 Tumor ploidy: 2.991 SNV log−likelihood: −1628 GoF: 80.2% Mean coverage: 416
1 2 3 4 5 6 9 12 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100
SNV Index
SCNA−fit log−likelihood: 2158.78
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 6
0 20 40 60 80 100
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
3m2
3m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
3m2
2m1
3m1



Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 3.999
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.52 Tumor ploidy: 3.999 SNV log−likelihood: −1385.67 GoF: 84% Mean coverage: 416
1 2 3 4 5 6 9 11 12 13 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100 120
SNV Index



SCNA−fit log−likelihood: 2136.87
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6
0 20 40 60 80 100 120
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80 100 120
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
2m0
4m4
4m3
4m2
4m1
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m4
4m3
4m2
4m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.93 Tumor ploidy: 3
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.93 Tumor ploidy: 3 SNV log−likelihood: −1732.18 GoF: 65.8% Mean coverage: 416
1 2 3 4 5 6 7 10 13 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100 120
SNV Index



SCNA−fit log−likelihood: 2132.18
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4
0 20 40 60 80 100 120
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100 120
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
2m1
3m1



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 4.966
1
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.15 Tumor ploidy: 4.966 SNV log−likelihood: −1794.27 GoF: 79% Mean coverage: 416
1 2 3 4 5 7 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 2170.29
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 3 5 7
0 20 40 60 80 100
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80 100
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
4m4
5m5
5m4
5m3
4m2
5m2
5m1
4m0
5m0
7m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m2
4m3
5m3
4m2
5m2
0m1
1m1
5m1
6m1


Frequency
Cellular fraction