






Purity: 0.41 Tumor ploidy: 4.991
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.41 Tumor ploidy: 4.991 SNV log−likelihood: −1004.2 GoF: 87.4% Mean coverage: 553
2 3 5 7 10 12 13 14 16 17
B−Allele Frequency
1.0 0.8 0.6 0.4 0.2
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 862.38
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
6 4 3 2
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
6 5 4 3 2 1 0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
3m1
2m0
5m5
5m4
5m3
5m2
5m1
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.5 Tumor ploidy: 3.985
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.5 Tumor ploidy: 3.985 SNV log−likelihood: −999.84 GoF: 81.7% Mean coverage: 553
2 3 5 7 9 11 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 826
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m4
4m3
4m2
3m1
4m1
2m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m4
4m2
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.991
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.45 Tumor ploidy: 5.991 SNV log−likelihood: −1031.86 GoF: 90.4% Mean coverage: 553
2 3 5 7 9 11 12 13 14 16 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 872.91
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
6m6
6m5
6m4
4m2
6m3
6m2
6m1
3m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.991
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.55 Tumor ploidy: 5.991 SNV log−likelihood: −1026.33 GoF: 89.5% Mean coverage: 553
2 3 5 7 9 11 12 13 14 16 17
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 856.38
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
6m6
6m5
6m4
6m3
5m2
6m2
6m1
3m0
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
6m2
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.8 Tumor ploidy: 2.999
2
3
4
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.8 Tumor ploidy: 2.999 SNV log−likelihood: −1027.01 GoF: 85.7% Mean coverage: 553
2 3 5 7 9 12 14 16 17 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 770.51
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
2m1
3m1
2m0
3m0
4



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m3
3m2
2m1
3m1



Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 2.998
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.54 Tumor ploidy: 2.998 SNV log−likelihood: −1049.05 GoF: 70.5% Mean coverage: 553
2 3 5 7 9 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 795.21
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
1m0
3m3
3m2
3m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m3
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 5.965
2
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.25 Tumor ploidy: 5.965 SNV log−likelihood: −1134.37 GoF: 88.1% Mean coverage: 553
2 3 5 9 11 12 13 14 16 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 905.57
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m2
2m0
5m1
6m6
6m5
6m4
6m3
6m2
6m1
6m0
7m1
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m1
5m1
6m2
6m1
7m1



Frequency
Cellular fraction



Purity: 0.32 Tumor ploidy: 1.997
0
1
2
3
4
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.32 Tumor ploidy: 1.997 SNV log−likelihood: −1184.48 GoF: 70.3% Mean coverage: 553
2 3 5 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 836.54
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 4
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
2m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.23 Tumor ploidy: 2.965
0
1
2
3
4
5
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.23 Tumor ploidy: 2.965 SNV log−likelihood: −1249.36 GoF: 74.7% Mean coverage: 553
2 3 5 10 12 13 14 16 17
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 902.82
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
3m0
3m1
3m2
3m3
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
3m1
3m2
5m1
5m2



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 1.999
1
2
3
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.59 Tumor ploidy: 1.999 SNV log−likelihood: −1221.02 GoF: 48.6% Mean coverage: 553
2 3 5 7 9 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 20 40 60 80
SNV Index
SCNA−fit log−likelihood: 768.29
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3
0 20 40 60 80
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m2
2m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 5.749
0
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 5.749 SNV log−likelihood: −1263.95 GoF: 79.5% Mean coverage: 553
2 4 5 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 887.69
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 5
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
0m0
2m1
5m5
6m6
6m4
6m3
6m2
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
6m3
6m2
0m1
2m1
4m1
6m1



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 4.75
0
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 4.75 SNV log−likelihood: −1308.02 GoF: 76.5% Mean coverage: 553
2 4 5 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 906.95
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 5
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
2m0
4m4
5m5
5m3
5m2
5m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m3
7m3
5m2
0m1
2m1
3m1
5m1
7m1



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 3.944
0
1
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 3.944 SNV log−likelihood: −1349.62 GoF: 74.8% Mean coverage: 553
2 4 5 10 12 13 14 16
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 921.69
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
3m0
4m0
4m1
4m2
4m3
4m4
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
4m1
4m2
4m3
4m4
5m1
6m1
6m3



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 1.971
0
1
2
3
4
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.15 Tumor ploidy: 1.971 SNV log−likelihood: −1430.25 GoF: 65.9% Mean coverage: 553
2 4 5 10 12 14 16
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 910.55
Copy Number log−ratio
SNV Index


Maximum Likelihood Copy Number
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m1
2m2
2m0
3m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
2m2
4m1
4m2


Frequency
Cellular fraction