






Purity: 0.48 Tumor ploidy: 5.995
2
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.48 Tumor ploidy: 5.995 SNV log−likelihood: −528.25 GoF: 80.8% Mean coverage: 374
2
5
11
12
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 624.35
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
4
5
6
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
6m5
5m4
6m4
5m3
6m3
5m2
6m2
5m1
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 3.409
1
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 3.409 SNV log−likelihood: −589.42 GoF: 89.3% Mean coverage: 374
2
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 744.79
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
1m1
1m0
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m3
2m2
3m2
1m1
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.22 Tumor ploidy: 3.061
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.22 Tumor ploidy: 3.061 SNV log−likelihood: −562.92 GoF: 88.7% Mean coverage: 374
2
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 667.23
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
1m1
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
3m2
1m1
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.53 Tumor ploidy: 5.005
2
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.53 Tumor ploidy: 5.005 SNV log−likelihood: −523.71 GoF: 75.7% Mean coverage: 374
2
5
11
12
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 602.18
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
4
5
6
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
5m4
4m3
5m3
4m2
5m2
4m1
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
4m2
4m1
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 4.995
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.42 Tumor ploidy: 4.995 SNV log−likelihood: −535.68 GoF: 82.3% Mean coverage: 374
2
5
12
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 622.97
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
5m5
5m4
4m3
5m3
5m2
4m1
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1



Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 4.019
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.57 Tumor ploidy: 4.019 SNV log−likelihood: −541.72 GoF: 65.6% Mean coverage: 374
2
5
11
12
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 572.63
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m3
4m3
3m2
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 4.019
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.67 Tumor ploidy: 4.019 SNV log−likelihood: −549.45 GoF: 68.1% Mean coverage: 374
2
5
11
12
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 551.52
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



3m3
4m3
3m2
4m2
3m1
4m1
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 3.011
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.64 Tumor ploidy: 3.011 SNV log−likelihood: −552.42 GoF: 22.6% Mean coverage: 374
2
5
11
12
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 492.65
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



3m3
2m2
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.9 Tumor ploidy: 3.008
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.9 Tumor ploidy: 3.008 SNV log−likelihood: −521.23 GoF: 74.6% Mean coverage: 374
2 5 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 425.84
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.011
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.95 Tumor ploidy: 4.011 SNV log−likelihood: −564.97 GoF: 71.4% Mean coverage: 374
2
5
12
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 491
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 2
1
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.95 Tumor ploidy: 2 SNV log−likelihood: −593.99 GoF: 9.5% Mean coverage: 374
2 5 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 426.5
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1



Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 5.995
1
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio


Purity: 0.35 Tumor ploidy: 5.995 SNV log−likelihood: −555.21 GoF: 86.4% Mean coverage: 374
2
5
12
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: 317.15
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
4
5
6
0
5
10
15
20
25
30
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
5m5
6m6
6m5
5m4
6m4
6m3
5m2
6m2
5m1
5m0
6m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m1
6m1


Power 0.8 at BQ 32
Frequency
Cellular fraction