






Purity: 0.15 Tumor ploidy: 1.992
0
1
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.15 Tumor ploidy: 1.992 SNV log−likelihood: −872.49 GoF: 70.6% Mean coverage: 339
1
2
5
6
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 1202.1
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
1m2
2m2
1m1
0m0
1m0
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m2
1m2
2m2
0m1
1m1
2m1



Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 3.006
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.45 Tumor ploidy: 3.006 SNV log−likelihood: −693.6 GoF: 70.8% Mean coverage: 339
1 2 5 6 10 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 1203.7
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60
SNV Index



1m2
3m3
2m2
1m1
3m2
3m1
1m0
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 4.006
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.44 Tumor ploidy: 4.006 SNV log−likelihood: −706.98 GoF: 79.2% Mean coverage: 339
1
2
5
6
10
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1211.06
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
4m4
4m3
2m1
4m2
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.7 Tumor ploidy: 3.007
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.7 Tumor ploidy: 3.007 SNV log−likelihood: −691.37 GoF: 82.4% Mean coverage: 339
1
2
5
6
10
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
SNV Index



SCNA−fit log−likelihood: 1171.57
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
0
20
40
60
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
20
40
60
SNV Index



3m3
2m2
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.65 Tumor ploidy: 2.001
1
2
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.65 Tumor ploidy: 2.001 SNV log−likelihood: −738.79 GoF: 45.3% Mean coverage: 339
1
2
5
6
10
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1171.79
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 2.006
0
1
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.31 Tumor ploidy: 2.006 SNV log−likelihood: −763.05 GoF: 73.6% Mean coverage: 339
1 2 5 6 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 1210.92
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 2 3
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
2m2
1m1
0m0
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1



Frequency
Cellular fraction



Purity: 0.93 Tumor ploidy: 3.001
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.93 Tumor ploidy: 3.001 SNV log−likelihood: −757.12 GoF: 45.8% Mean coverage: 339
1 2 5 6 10 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1171.09
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
2m0
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.23 Tumor ploidy: 3.014
0
1
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.23 Tumor ploidy: 3.014 SNV log−likelihood: −788.45 GoF: 82.3% Mean coverage: 339
1
2
5
6
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 1206.56
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m2
2m3
0m1
3m3
2m2
0m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.962
3
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.33 Tumor ploidy: 5.962 SNV log−likelihood: −725.45 GoF: 87.2% Mean coverage: 339
1 2 5 6 7 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 1053.75
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 5 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m6
6m6
5m5
6m5
5m4
5m3
5m2
6m1
5m0
6m0
3m3
2m2
3m2
3m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.17 Tumor ploidy: 5.024
0
1
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.17 Tumor ploidy: 5.024 SNV log−likelihood: −798.23 GoF: 83.5% Mean coverage: 339
1 2 5 6 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 1211.97
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 3 5 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m3
0m2
0m1
0m0
1m0
3m3
3m0
4m5
4m4
4m2
4m0
5m5
5m2
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m2
0m1
3m2
3m1
4m2
4m1
5m2
5m1



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.96
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.55 Tumor ploidy: 5.96 SNV log−likelihood: −686.46 GoF: 83% Mean coverage: 339
1
2
5
6
10
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
SNV Index



SCNA−fit log−likelihood: 959.71
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
0
20
40
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
20
40
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m4
5m5
6m6
6m5
5m4
4m3
6m4
4m2
6m3
6m2
6m1
3m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
6m1



Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 5.006
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.64 Tumor ploidy: 5.006 SNV log−likelihood: −652.96 GoF: 83% Mean coverage: 339
1 2 5 6 10 12 14 16 19
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1205.71
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6
0 20 40 60 80
SNV Index


Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
3m3
4m4
5m5
5m4
5m3
5m2
3m1
5m1
3m0
4m0
5m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1


Frequency
Cellular fraction