






Purity: 0.65 Tumor ploidy: 5.991
3
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.65 Tumor ploidy: 5.991 SNV log−likelihood: −435.05 GoF: 82.7% Mean coverage: 398
1 2 3 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: −545.29
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 5 6 7
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
6m4
5m3
6m3
5m2
6m2
5m1
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
5m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 5.997
1
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.29 Tumor ploidy: 5.997 SNV log−likelihood: −510.77 GoF: 86.7% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: −464.48
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
4
5
7
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m4
6m4
6m3
5m2
6m2
4m1
5m1
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 5.013
2
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.47 Tumor ploidy: 5.013 SNV log−likelihood: −480.31 GoF: 83.3% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −546.33
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
4
5
6
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
5m4
5m3
4m2
5m2
4m1
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 5.97
2
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.47 Tumor ploidy: 5.97 SNV log−likelihood: −494.85 GoF: 87.3% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −521.07
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
5
6
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m4
6m4
5m3
6m3
5m2
6m2
5m1
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m1
6m1



Frequency
Cellular fraction



Purity: 0.32 Tumor ploidy: 4.947
1
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.32 Tumor ploidy: 4.947 SNV log−likelihood: −512.56 GoF: 83.9% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: −490.72
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
3
4
5
6
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
4m3
5m3
4m2
5m2
4m1
5m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 5.004
2
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.58 Tumor ploidy: 5.004 SNV log−likelihood: −489.11 GoF: 80.5% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −546.23
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
4
5
6
7
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



4m4
4m3
5m3
4m2
5m2
4m1
5m1
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 3.55
2
3
4
5
6
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 3.55 SNV log−likelihood: −547.06 GoF: 80.3% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −461.72
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m3
2m2
4m2
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m2
2m1
4m1



Frequency
Cellular fraction



Purity: 0.83 Tumor ploidy: 3
3
4
5
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.83 Tumor ploidy: 3 SNV log−likelihood: −447.82 GoF: 74.6% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −708.55
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
3m1
3m0
0.0
0.2
0.4
0.6
0.8
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
3m2
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.1
0.2
0.3
0.4
0.5
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6



Frequency
Cellular fraction
0
1
2
0.4
0.5
0.6
0.7
0.8
0.9
1.0



Purity: 0.2 Tumor ploidy: 4
0
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.2 Tumor ploidy: 4 SNV log−likelihood: −551.44 GoF: 81.4% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −465.52
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m3
4m2
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.62 Tumor ploidy: 3.007
1
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.62 Tumor ploidy: 3.007 SNV log−likelihood: −471.68 GoF: 61.7% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −653.36
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



3m3
2m2
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
0.35
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.65 Tumor ploidy: 4.006
2
3
4
5
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.65 Tumor ploidy: 4.006 SNV log−likelihood: −501.82 GoF: 74.7% Mean coverage: 398
1 2 3 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −580.11
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



3m3
4m3
3m2
4m2
3m1
4m1
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.011
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.95 Tumor ploidy: 4.011 SNV log−likelihood: −466.23 GoF: 64.9% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −668.39
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
4m2
3m1
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 2.187
1
2
3
4
5
0.12
0.10
0.08
0.06
0.04
0.02
0.00
Fraction Genome
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 2.187 SNV log−likelihood: −581.77 GoF: 65.3% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −419.39
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
1m1
0m0
2m2
2m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1



Frequency
Cellular fraction



Purity: 0.28 Tumor ploidy: 2.068
0
1
2
3
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.28 Tumor ploidy: 2.068 SNV log−likelihood: −512.28 GoF: 79.1% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −685.92
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m2
2m2
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Frequency
Cellular fraction



Purity: 0.72 Tumor ploidy: 1.999
1
2
3
4
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.72 Tumor ploidy: 1.999 SNV log−likelihood: −554.95 GoF: 55.9% Mean coverage: 398
1
2
3
4
5
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −717.16
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
SNV Index



2m2
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
0.35
−0.8
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.95 Tumor ploidy: 2.999
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.95 Tumor ploidy: 2.999 SNV log−likelihood: −558.62 GoF: 46.1% Mean coverage: 398
1
2
3
4
5
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −711.32
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
0
10
20
30
40
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
3m2
3m1
3m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Frequency
Cellular fraction