






Purity: 0.81 Tumor ploidy: 3.011
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.81 Tumor ploidy: 3.011 SNV log−likelihood: −780.06 GoF: 83.1% Mean coverage: 374
2 3 5 6 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1299.06
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



2m2
3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 4.025
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.42 Tumor ploidy: 4.025 SNV log−likelihood: −825.01 GoF: 79.2% Mean coverage: 374
2 3 5 6 10 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1386.77
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m4
4m3
2m1
4m2
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m1



Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.983
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.45 Tumor ploidy: 5.983 SNV log−likelihood: −844.12 GoF: 79.7% Mean coverage: 374
2 3 5 6 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 1395.33
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6 7
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m4
5m5
6m6
6m5
3m2
6m4
6m3
3m1
6m2
4m1
5m1
6m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 3.028
2
3
4
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.47 Tumor ploidy: 3.028 SNV log−likelihood: −827.18 GoF: 71.7% Mean coverage: 374
2 3 5 6 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index
SCNA−fit log−likelihood: 1338.1
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4 6
0 10 20 30 40 50 60 70
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60 70
SNV Index



1m2
3m3
2m2
1m1
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−0.8
−0.6
−0.4
−0.2
0.0
0.2



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
−0.8
−0.6
−0.4
−0.2
0.0
0.2



Frequency
Cellular fraction
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0



Purity: 0.39 Tumor ploidy: 5.022
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.39 Tumor ploidy: 5.022 SNV log−likelihood: −847.18 GoF: 81.4% Mean coverage: 374
2 3 5 6 10 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 1391.31
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
3m1
3m0
4m0
5m5
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
5m1



Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 5.994
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.56 Tumor ploidy: 5.994 SNV log−likelihood: −815.65 GoF: 84.4% Mean coverage: 374
2 3 5 6 10 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1315.22
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
4 5 6 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
6m6
6m5
4m3
6m4
4m2
6m3
6m2
4m1
5m1
6m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m2
4m1
6m1



Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 4.027
3
4
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.56 Tumor ploidy: 4.027 SNV log−likelihood: −849.03 GoF: 71.1% Mean coverage: 374
2 3 5 6 10 12 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60
SNV Index
SCNA−fit log−likelihood: 1347
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 7
0 20 40 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m4
4m3
2m1
4m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1



Frequency
Cellular fraction



Purity: 0.23 Tumor ploidy: 5.999
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.23 Tumor ploidy: 5.999 SNV log−likelihood: −880.82 GoF: 86.7% Mean coverage: 374
2
3
5
6
10
13
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1406.99
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
5
7
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m4
2m3
2m2
2m0
3m0
5m6
5m5
5m4
5m3
5m2
5m1
5m0
6m6
6m5
6m3
6m1
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
5m2
5m1
6m2
6m1



Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 2.025
0
1
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.29 Tumor ploidy: 2.025 SNV log−likelihood: −925.19 GoF: 70.6% Mean coverage: 374
2
3
5
6
10
13
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1381.18
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
7
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m2
0m1
0m0
1m0
2m2
2m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
2m2



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.003
1
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.59 Tumor ploidy: 2.003 SNV log−likelihood: −895.85 GoF: 44% Mean coverage: 374
2 3 5 6 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60
SNV Index
SCNA−fit log−likelihood: 1294.27
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 20 40 60
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.19 Tumor ploidy: 4.217
1
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.19 Tumor ploidy: 4.217 SNV log−likelihood: −944.2 GoF: 80.2% Mean coverage: 374
2 3 5 6 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 1422.28
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 3 5 7
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m3
1m2
1m1
1m0
4m4
4m3
4m2
4m1
4m0
3m0
5m5
5m3
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
4m2
1m1
4m1



Frequency
Cellular fraction



Purity: 0.2 Tumor ploidy: 3.254
0
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.2 Tumor ploidy: 3.254 SNV log−likelihood: −971.18 GoF: 73.9% Mean coverage: 374
2 3 5 6 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 1400.54
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 2 4 6
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m3
0m2
0m0
1m0
2m0
3m3
3m1
3m0
4m4
4m2
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m2
3m2
0m1
3m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.003
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.95 Tumor ploidy: 3.003 SNV log−likelihood: −944 GoF: 42.8% Mean coverage: 374
2 3 5 6 10 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1285.25
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



2m2
3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 2.928
0
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.15 Tumor ploidy: 2.928 SNV log−likelihood: −1037.42 GoF: 73.3% Mean coverage: 374
2
3
5
6
10
13
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 1496.7
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
0
10
20
30
40
50
60
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
60
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m2
2m3
3m3
2m2
3m2
0m0
1m0
3m1
2m0
3m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m2
2m2
3m2
0m1
2m1
3m1


Frequency
Cellular fraction