






Purity: 0.55 Tumor ploidy: 5.99
4
5
6
7
0.3
0.2
0.1
0.0
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.55 Tumor ploidy: 5.99 SNV log−likelihood: −1090.06 GoF: 90.4% Mean coverage: 372
1 2 3 4 5 6 7 9 11 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1809.05
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6 7
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m4
6m6
6m5
6m4
7m4
4m2
6m3
6m2
7m2
6m1
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
7m1



Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 3.996
3
4
5
6
0.0
0.1
0.2
0.3
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.58 Tumor ploidy: 3.996 SNV log−likelihood: −1092.63 GoF: 84.8% Mean coverage: 372
1 2 3 4 5 7 9 11 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1783.8
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
4m4
4m3
4m2
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
4m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.985
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.45 Tumor ploidy: 5.985 SNV log−likelihood: −1123.16 GoF: 89.5% Mean coverage: 372
1 2 3 4 5 7 9 11 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1814.53
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6 7
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m4
6m6
6m5
6m4
7m4
4m2
6m3
6m2
7m2
6m1
3m0
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
7m1



Frequency
Cellular fraction



Purity: 0.82 Tumor ploidy: 3.001
2
3
4
0.0
0.1
0.2
0.3
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.82 Tumor ploidy: 3.001 SNV log−likelihood: −1126.53 GoF: 83.1% Mean coverage: 372
1 2 3 4 5 6 9 11 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1768.62
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100
SNV Index



2m2
3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
3m2
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 4.991
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.44 Tumor ploidy: 4.991 SNV log−likelihood: −1130.58 GoF: 85.2% Mean coverage: 372
1 2 3 4 5 7 9 11 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1811.35
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6 7
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
3m1
2m0
3m0
5m5
5m4
5m3
6m3
5m2
6m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m3
5m1
6m1



Frequency
Cellular fraction



Purity: 0.68 Tumor ploidy: 3.002
2
3
4
0.0
0.1
0.2
0.3
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.68 Tumor ploidy: 3.002 SNV log−likelihood: −1134.03 GoF: 78.7% Mean coverage: 372
1 2 3 4 5 6 7 9 11 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 1766.53
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
3m2
3m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 3.986
2
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.36 Tumor ploidy: 3.986 SNV log−likelihood: −1150.95 GoF: 83% Mean coverage: 372
1 2 3 4 5 7 9 11 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1816.69
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 6
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m0
2m1
2m2
4m0
4m1
4m2
4m3
4m4
5m1
5m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1



Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 2.996
1
2
3
4
5
0.3
0.2
0.1
0.0
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.43 Tumor ploidy: 2.996 SNV log−likelihood: −1151.85 GoF: 77.8% Mean coverage: 372
1 2 3 4 5 7 9 11 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1783.5
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m0
2m1
2m2
3m0
3m1
3m2
3m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
3m2
3m3



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.965
3
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.33 Tumor ploidy: 5.965 SNV log−likelihood: −1164.03 GoF: 85.7% Mean coverage: 372
1 2 3 4 5 7 9 11 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1826.75
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m4
6m6
6m5
3m2
6m4
7m4
6m3
6m2
7m2
2m0
6m1
4m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m6
6m4
6m1
7m1



Frequency
Cellular fraction



Purity: 0.6 Tumor ploidy: 2.001
1
2
3
0.0
0.1
0.2
0.3
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.6 Tumor ploidy: 2.001 SNV log−likelihood: −1206.6 GoF: 55% Mean coverage: 372
1 2 3 4 5 7 9 11 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index
SCNA−fit log−likelihood: 1768.3
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3
0 20 40 60 80 100
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
2m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 5.991
0
2
4
5
6
7
0.0
0.1
0.2
0.3
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.15 Tumor ploidy: 5.991 SNV log−likelihood: −1349.69 GoF: 81.3% Mean coverage: 372
1
2
3
4
5
9
11
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
20
40
60
80
SNV Index



SCNA−fit log−likelihood: 1835.27
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
0
20
40
60
80
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
2m2
6m6
7m7
7m6
6m4
6m3
6m2
6m1
7m1
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m3
6m3
5m2
6m2
2m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 1.952
0
1
2
3
4
5
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.15 Tumor ploidy: 1.952 SNV log−likelihood: −1417.34 GoF: 70.5% Mean coverage: 372
1 2 3 4 5 9 12 14 16
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 1833.46
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 2 4 7
0 20 40 60 80
SNV Index


Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
2m0
2m2
3m3
3m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
2m2
3m1


Frequency
Cellular fraction