






Purity: 0.33 Tumor ploidy: 4.898
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.33 Tumor ploidy: 4.898 SNV log−likelihood: −407.58 GoF: 80.4% Mean coverage: 255
1 2 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: −421.25
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
3 5 7
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m4
5m4
5m3
4m2
5m2
5m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 4.9
0
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.21 Tumor ploidy: 4.9 SNV log−likelihood: −450.08 GoF: 79% Mean coverage: 255
1 2 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: −346.94
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4 6
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
4m4
3m3
5m4
5m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 5.029
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.58 Tumor ploidy: 5.029 SNV log−likelihood: −411.39 GoF: 74% Mean coverage: 255
1 2 4 5 11 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −455.14
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
7 5 4
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
5m4
4m3
5m3
4m2
5m2
4m1
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
4m1
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.16 Tumor ploidy: 3.02
1
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.16 Tumor ploidy: 3.02 SNV log−likelihood: −471.4 GoF: 75.2% Mean coverage: 255
1
2
4
5
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −317.09
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
2
5
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
3m3
1m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 4.018
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.67 Tumor ploidy: 4.018 SNV log−likelihood: −421.24 GoF: 64.3% Mean coverage: 255
1 2 4 5 11 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −469.34
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3 4 5 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



3m3
4m3
3m2
4m2
3m1
4m1
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
−1.0
−0.5
0.0



Frequency
Cellular fraction
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0



Purity: 0.36 Tumor ploidy: 2.018
0
1
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.36 Tumor ploidy: 2.018 SNV log−likelihood: −433.53 GoF: 67.8% Mean coverage: 255
1 2 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30
SNV Index



SCNA−fit log−likelihood: −465.1
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5
0 5 10 15 20 25 30
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 5 10 15 20 25 30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.014
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.95 Tumor ploidy: 4.014 SNV log−likelihood: −394.33 GoF: 71.5% Mean coverage: 255
1
2
4
5
12
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −524.63
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
6
5
4
3
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
4
3
2
1
0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.5 Tumor ploidy: 3.018
2
3
4
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.5 Tumor ploidy: 3.018 SNV log−likelihood: −422.61 GoF: 63.2% Mean coverage: 255
1
2
4
5
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −491.69
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
6
4
3
2
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 4.136
0
2
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.25 Tumor ploidy: 4.136 SNV log−likelihood: −425.7 GoF: 80.2% Mean coverage: 255
1
2
4
5
12
14
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −442.88
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
2
4
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m3
4m3
4m2
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.87 Tumor ploidy: 3.003
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.87 Tumor ploidy: 3.003 SNV log−likelihood: −348.29 GoF: 71.3% Mean coverage: 255
1
2
4
5
12
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −657.74
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
5
4
3
2
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
3.0
2.5
2.0
1.5
1.0
0.5
0.0
0
10
20
30
40
SNV Index



2m2
3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.08
0.10
0.12
0.14
0.16
0.18
0.20
−1.0
−0.5
0.0



Frequency
Cellular fraction
0
1
0.5
0.6
0.7
0.8
0.9
1.0



Purity: 0.64 Tumor ploidy: 3.007
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.64 Tumor ploidy: 3.007 SNV log−likelihood: −443.26 GoF: 66.7% Mean coverage: 255
1 2 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: −521.46
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 5.995
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.42 Tumor ploidy: 5.995 SNV log−likelihood: −424.68 GoF: 80.4% Mean coverage: 255
1 2 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index
SCNA−fit log−likelihood: −601.83
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
4 6
0 5 10 15 20 25 30 35
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
6m5
5m4
6m4
6m3
5m2
6m2
5m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.007
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.59 Tumor ploidy: 2.007 SNV log−likelihood: −432.82 GoF: 48.4% Mean coverage: 255
1 2 4 5 12 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: −629.66
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 10 20 30 40
SNV Index


Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1


Power 0.8 at BQ 32
Frequency
Cellular fraction