






Purity: 0.15 Tumor ploidy: 1.972
1
2
3
5
0.15
0.10
0.05
0.00
Fraction Genome
−0.2
−0.1
0.0
0.1
0.2
0.3
log2 ratio



Purity: 0.15 Tumor ploidy: 1.972 SNV log−likelihood: −752.91 GoF: 68.5% Mean coverage: 400
1
2
5
10
12
13
14
16
17
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 699.09
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
2
5
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
2.0
1.5
1.0
0.5
0.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
2m2
1m1
0m0
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m2
2m2
0m1
1m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 6
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.55 Tumor ploidy: 6 SNV log−likelihood: −551.92 GoF: 88.9% Mean coverage: 400
1 2 5 7 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 654.06
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3 4 5 7
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
6m6
6m5
5m4
5m3
6m3
5m2
6m2
4m1
5m1
6m1
3m0
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m5
6m2
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 4.001
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.58 Tumor ploidy: 4.001 SNV log−likelihood: −565.52 GoF: 77.5% Mean coverage: 400
1 2 5 7 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 649.92
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
4m4
4m3
3m2
2m1
3m1
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.53 Tumor ploidy: 5.019
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.53 Tumor ploidy: 5.019 SNV log−likelihood: −570.24 GoF: 85.5% Mean coverage: 400
1 2 5 7 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 655.71
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m4
5m5
5m4
4m3
5m3
4m2
3m1
4m1
5m1
2m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m4
5m2
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 3.001
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.49 Tumor ploidy: 3.001 SNV log−likelihood: −601.14 GoF: 73.5% Mean coverage: 400
1 2 5 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 648.42
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
2m2
2m1
2m0
3m3
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 6
3
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.45 Tumor ploidy: 6 SNV log−likelihood: −605.58 GoF: 87.8% Mean coverage: 400
1 2 5 7 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 670.54
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
3 5 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
6m6
6m5
5m4
5m2
3m1
6m2
5m1
6m1
3m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m5
5m4
3m1
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 3.001
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.64 Tumor ploidy: 3.001 SNV log−likelihood: −595.35 GoF: 61.3% Mean coverage: 400
1 2 5 7 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 627.46
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
1m0
3m3
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.02
2
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.33 Tumor ploidy: 5.02 SNV log−likelihood: −629.4 GoF: 84.1% Mean coverage: 400
1 2 5 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 684.02
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 4 6
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m0
4m4
4m3
4m1
4m0
5m5
5m4
5m3
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 4.02
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.33 Tumor ploidy: 4.02 SNV log−likelihood: −625.2 GoF: 84.5% Mean coverage: 400
1 2 5 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 675.2
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 5
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m0
3m3
4m4
3m2
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 4.97
1
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.21 Tumor ploidy: 4.97 SNV log−likelihood: −656.13 GoF: 82.6% Mean coverage: 400
1 2 5 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 715.04
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 3 5
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
3m0
3m1
3m2
3m3
3m4
4m1
4m2
4m4
5m0
5m1
5m3
5m5
6m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
3m1
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 5.971
2
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.25 Tumor ploidy: 5.971 SNV log−likelihood: −653.66 GoF: 89.4% Mean coverage: 400
1 2 5 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 686.49
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 5 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
2m0
5m5
6m6
5m4
6m5
5m3
6m4
5m2
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
5m2
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 5.986
0
1
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.15 Tumor ploidy: 5.986 SNV log−likelihood: −671.66 GoF: 80.9% Mean coverage: 400
1 2 5 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 690.25
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 4 7
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
4m4
5m5
6m6
6m2
4m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
4m1
5m2
6m2
6m1
7m1



Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 2.001
1
2
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.67 Tumor ploidy: 2.001 SNV log−likelihood: −719.74 GoF: 35.6% Mean coverage: 400
1 2 5 9 10 12 13 14 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 633.65
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.86 Tumor ploidy: 3.001
2
3
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.86 Tumor ploidy: 3.001 SNV log−likelihood: −491.35 GoF: 73.4% Mean coverage: 400
1 2 5 9 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 631.93
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4
0 10 20 30 40 50
SNV Index


Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index


2m2
3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 34
Frequency
Cellular fraction