






Purity: 0.53 Tumor ploidy: 5.957
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.53 Tumor ploidy: 5.957 SNV log−likelihood: −768.58 GoF: 84.1% Mean coverage: 319
1 2 3 5 6 9 11 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 667.77
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 4 5 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
6m6
6m5
6m4
4m2
6m3
6m2
4m1
2m0
6m1
7m1
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
6m2
6m1



Frequency
Cellular fraction



Purity: 0.8 Tumor ploidy: 2.999
2
3
4
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.8 Tumor ploidy: 2.999 SNV log−likelihood: −717.88 GoF: 78.6% Mean coverage: 319
1 2 3 4 5 7 10 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 538.82
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



1m1
3m2
2m1
3m1
1m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m2
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0



Power 0.8 at BQ 34
Frequency
Cellular fraction
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.46 Tumor ploidy: 3.966
2
3
4
5
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.46 Tumor ploidy: 3.966 SNV log−likelihood: −776.6 GoF: 81.1% Mean coverage: 319
1 2 3 4 5 6 9 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index
SCNA−fit log−likelihood: 651.95
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 7
0 10 20 30 40 50 60 70
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
1m0
4m4
4m3
4m2
4m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m4
4m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.34 Tumor ploidy: 2.967
0
1
2
3
4
5
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.34 Tumor ploidy: 2.967 SNV log−likelihood: −811.33 GoF: 80.8% Mean coverage: 319
1 2 3 5 6 9 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 658.34
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5 7
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
3m3
3m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 3.957
1
3
4
5
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.33 Tumor ploidy: 3.957 SNV log−likelihood: −822.13 GoF: 82% Mean coverage: 319
1 2 3 5 6 9 11 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 677.73
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 3 5
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
1m0
4m4
4m3
4m2
4m1
4m0
5m1
5m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
0.16
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.53 Tumor ploidy: 2.985
1
2
3
4
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.53 Tumor ploidy: 2.985 SNV log−likelihood: −789.49 GoF: 71.4% Mean coverage: 319
1 2 3 4 5 6 9 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index
SCNA−fit log−likelihood: 584.49
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 6
0 10 20 30 40 50 60 70
SNV Index
Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m1
1m0
2m0
3m3
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m1
3m3
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 4.947
2
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.31 Tumor ploidy: 4.947 SNV log−likelihood: −849.36 GoF: 85.4% Mean coverage: 319
1
2
3
5
6
9
11
12
14
16
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
SNV Index



SCNA−fit log−likelihood: 685.79
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
0
10
20
30
40
50
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
50
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
5m5
5m4
5m2
5m1
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m1
6m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 1.973
0
1
2
3
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.31 Tumor ploidy: 1.973 SNV log−likelihood: −834.83 GoF: 77% Mean coverage: 319
2 3 5 6 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 628.98
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 6
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
Copy Number log−ratio
2m2
0m0
2m0
3m0



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Frequency
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.23 Tumor ploidy: 5.907
2
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.23 Tumor ploidy: 5.907 SNV log−likelihood: −862.46 GoF: 85.4% Mean coverage: 319
1 2 3 5 6 9 11 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 686.76
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4 6
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
6m6
6m5
6m3
6m1
7m1
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m2
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 3.91
0
2
3
4
5
6
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.21 Tumor ploidy: 3.91 SNV log−likelihood: −880.75 GoF: 81.4% Mean coverage: 319
2 3 5 6 9 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 691.6
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
0 2 4 6
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m4
0m0
5m1
4m0
5m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
4m2
4m1
5m1
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
1
2
3
4
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.81 Tumor ploidy: 2.001
1
2
3
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.81 Tumor ploidy: 2.001 SNV log−likelihood: −839.87 GoF: 57.6% Mean coverage: 319
1 2 3 4 5 6 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 520.59
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80
SNV Index



2m2
1m1
2m1
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



2m2
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0



Power 0.8 at BQ 34
Frequency
Cellular fraction
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.18 Tumor ploidy: 1.918
0
1
2
3
4
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.18 Tumor ploidy: 1.918 SNV log−likelihood: −921.71 GoF: 82% Mean coverage: 319
2 3 5 6 9 12 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 683.02
Copy Number log−ratio
1.0 0.5 0.0 −0.5 −1.0 −1.5 −2.0
0 2 4
0 10 20 30 40 50
SNV Index


Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50
SNV Index


Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
Copy Number log−ratio
2m2
0m0
2m0
3m0


Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
deamination
1m2
2m2
3m2
1m1
2m1
3m1


Frequency
0
1
2
3
4
5
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction