






Purity: 0.15 Tumor ploidy: 2.022
0
1
2
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.15 Tumor ploidy: 2.022 SNV log−likelihood: −1290.17 GoF: 67.6% Mean coverage: 331
1 2 3 4 5 7 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60 70
SNV Index



SCNA−fit log−likelihood: 979.69
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 2 4
0 10 20 30 40 50 60 70
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40 50 60 70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m2
2m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m2
2m2
3m2
3m3
0m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.981
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.55 Tumor ploidy: 5.981 SNV log−likelihood: −1029.28 GoF: 87.4% Mean coverage: 331
1 2 3 5 6 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 927.97
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
4 5 6 7
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
6m6
6m5
6m4
6m3
6m2
4m1
6m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
6m1



Frequency
Cellular fraction



Purity: 0.51 Tumor ploidy: 4.004
3
4
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.51 Tumor ploidy: 4.004 SNV log−likelihood: −1037.03 GoF: 79.9% Mean coverage: 331
1 2 3 5 6 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 909.24
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
2m0
3m0
4m4
4m3
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m4
4m2
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.65 Tumor ploidy: 3.004
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.65 Tumor ploidy: 3.004 SNV log−likelihood: −1059.23 GoF: 72.1% Mean coverage: 331
1 2 3 5 6 9 12 13 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 897.69
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 5.951
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.44 Tumor ploidy: 5.951 SNV log−likelihood: −1078.01 GoF: 86.5% Mean coverage: 331
1 2 3 5 6 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 940.84
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
6m6
6m5
6m4
6m3
6m2
4m1
6m1
3m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m6
6m3
6m2
3m1
6m1



Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 4.951
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.37 Tumor ploidy: 4.951 SNV log−likelihood: −1090.4 GoF: 84.8% Mean coverage: 331
1 2 3 5 6 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 941.23
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6 7
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m0
3m0
4m0
5m5
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
5m1



Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 3.004
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.43 Tumor ploidy: 3.004 SNV log−likelihood: −1094.62 GoF: 73.7% Mean coverage: 331
1 2 3 5 6 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 909.2
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3 4
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
2m0
3m3
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m3
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 5.928
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.31 Tumor ploidy: 5.928 SNV log−likelihood: −1127.72 GoF: 86.3% Mean coverage: 331
1 2 3 5 6 9 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 972.1
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 4 5 6
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m0
5m0
6m6
6m5
6m4
6m3
6m2
6m1
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
6m1



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.004
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.59 Tumor ploidy: 2.004 SNV log−likelihood: −1130.53 GoF: 50.7% Mean coverage: 331
1 2 3 5 6 9 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80 100
SNV Index



SCNA−fit log−likelihood: 887.12
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3
0 20 40 60 80 100
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80 100
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
1m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 2.004
1
2
3
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.44 Tumor ploidy: 2.004 SNV log−likelihood: −1137.19 GoF: 65.9% Mean coverage: 331
1 2 3 5 6 9 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 898.57
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 2 3
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 5.967
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.21 Tumor ploidy: 5.967 SNV log−likelihood: −1195.96 GoF: 84.6% Mean coverage: 331
1 2 3 4 5 7 10 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60 80
SNV Index



SCNA−fit log−likelihood: 997.89
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 4 6
0 20 40 60 80
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60 80
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m7
6m6
2m2
6m4
6m3
5m2
6m2
2m0
6m1
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
5m2
6m2
2m1
6m1



Frequency
Cellular fraction



Purity: 0.19 Tumor ploidy: 3.891
1
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.19 Tumor ploidy: 3.891 SNV log−likelihood: −1228.02 GoF: 76.1% Mean coverage: 331
1 2 3 4 5 7 10 12 13 14 16 17
B−Allele Frequency
0.2 0.4 0.6 0.8
0 20 40 60
SNV Index



SCNA−fit log−likelihood: 1012.25
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 1 2 4 6
0 20 40 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m4
4m3
4m2
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
4m2
0m1
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.17 Tumor ploidy: 5.065
1
3
4
5
6
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.17 Tumor ploidy: 5.065 SNV log−likelihood: −1231.21 GoF: 79.4% Mean coverage: 331
1 2 3 4 5 7 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60
SNV Index



SCNA−fit log−likelihood: 1013.36
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
1 3 5 7
0 20 40 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
4m1
5m5
5m3
5m2
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2
4m2
5m2
6m2
1m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.17 Tumor ploidy: 2.981
0
1
2
3
4
5
6
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.17 Tumor ploidy: 2.981 SNV log−likelihood: −1259.97 GoF: 74.2% Mean coverage: 331
1 2 3 4 5 7 10 12 13 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 20 40 60
SNV Index



SCNA−fit log−likelihood: 992.87
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
0 2 4 6
0 20 40 60
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 20 40 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m0
3m1
3m2
3m3



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
2m1
2m2
3m1
3m2



Frequency
Cellular fraction



Purity: 0.78 Tumor ploidy: 3.004
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
log2 ratio



Purity: 0.78 Tumor ploidy: 3.004 SNV log−likelihood: −982.71 GoF: 81.8% Mean coverage: 331
1
2
3
5
7
11
13
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
20
40
60
80
100
SNV Index



SCNA−fit log−likelihood: 890.62
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
0
20
40
60
80
100
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
20
40
60
80
100
SNV Index


2m2
3m3
3m2
2m1
3m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 33
Frequency
Cellular fraction