






Purity: 0.35 Tumor ploidy: 4.138
0
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.35 Tumor ploidy: 4.138 SNV log−likelihood: −172.29 GoF: 61.8% Mean coverage: 296
2
3
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
SNV Index



SCNA−fit log−likelihood: 3114.37
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
2
4
6
8
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
2m1
4m2
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Frequency
Cellular fraction



Purity: 0.4 Tumor ploidy: 5.133
0
1
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.4 Tumor ploidy: 5.133 SNV log−likelihood: −157.1 GoF: 75.5% Mean coverage: 296
2
3
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3036.53
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
3
4
5
6
7
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m3
3m1
5m2
3m0
0.2
0.4
0.6
0.8
−1.0
−0.8
−0.6
−0.4
−0.2
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
0.05
0.10
0.15
0.20
0.25
0.30
−1.0
−0.8
−0.6
−0.4
−0.2
0.0



Frequency
Cellular fraction
0
1
2
3
4
0.4
0.5
0.6
0.7
0.8
0.9
1.0



Purity: 0.49 Tumor ploidy: 2.073
0
1
2
3
4
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.49 Tumor ploidy: 2.073 SNV log−likelihood: −193.42 GoF: 24.8% Mean coverage: 296
2
3
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index



SCNA−fit log−likelihood: 3008.43
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
2
4
6
8
10
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
1m1
m0
2m1
1m0
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.10
0.15
0.20
0.25
0.30
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Frequency
0
1
2
3
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.3 Tumor ploidy: 3.138
0
1
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.3 Tumor ploidy: 3.138 SNV log−likelihood: −175.95 GoF: 57.5% Mean coverage: 296
2
3
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
SNV Index
SCNA−fit log−likelihood: 2981.51
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m2
3m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 3.078
0
1
2
3
4
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.64 Tumor ploidy: 3.078 SNV log−likelihood: −139.97 GoF: 77% Mean coverage: 296
2
3
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 2801.57
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
5
10
15
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.68 Tumor ploidy: 4.095
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.68 Tumor ploidy: 4.095 SNV log−likelihood: −147.31 GoF: 85.6% Mean coverage: 296
2
3
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 2717.37
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



2m2
3m2
4m2
3m1
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−1.0
−0.8
−0.6
−0.4
−0.2
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.08
0.10
0.12
0.14
0.16
0.18
0.20
0.22
−1.0
−0.8
−0.6
−0.4
−0.2
0.0



Frequency
Cellular fraction
0
1
0.2
0.4
0.6
0.8
1.0



Purity: 0.82 Tumor ploidy: 3.073
1
2
3
4
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.82 Tumor ploidy: 3.073 SNV log−likelihood: −154.82 GoF: 60.4% Mean coverage: 296
2
3
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: 2665.61
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m1
3m2
3m1
2m0
3m0
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.2
0.3
0.4
0.5
0.6
0.7
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Frequency
0
1
2
0.3
0.4
0.5
0.6
0.7
0.8
Cellular fraction



Purity: 0.29 Tumor ploidy: 5.097
0
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.29 Tumor ploidy: 5.097 SNV log−likelihood: −175.83 GoF: 66.9% Mean coverage: 296
2
3
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 2736.62
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
5
7
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0
2m0
3m0
3m3
4m3
5m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 5.988
2
4
5
6
7
Fraction Genome
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
−2.0
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio


Purity: 0.52 Tumor ploidy: 5.988 SNV log−likelihood: −141.02 GoF: 85.7% Mean coverage: 296
2
3
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 2607.48
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
4
5
6
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2
4m3
5m4
4m2
6m3
4m1
4m0
5m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1


Frequency
Cellular fraction