






Purity: 0.25 Tumor ploidy: 4.492
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.25 Tumor ploidy: 4.492 SNV log−likelihood: −147.85 GoF: 57.7% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3180.04
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
5
7
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
6m3
1m0
2m0
5m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
0
1
2
3
4
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.6 Tumor ploidy: 5.064
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.6 Tumor ploidy: 5.064 SNV log−likelihood: −109.2 GoF: 73.7% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 3043.21
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
6m3
3m1
5m1
3m0
4m0



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.032
0.034
0.036
0.038
0.040
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
0
1
2
0.12
0.13
0.14
0.15
0.16
0.17
0.18
Cellular fraction



Purity: 0.44 Tumor ploidy: 5.037
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.44 Tumor ploidy: 5.037 SNV log−likelihood: −98.04 GoF: 84.1% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 3006.79
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



3m3
6m3
5m1
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 3.078
0
1
2
3
4
5
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.33 Tumor ploidy: 3.078 SNV log−likelihood: −134.67 GoF: 54.8% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 3032.42
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
4m2
1m0
2m0
3m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.48 Tumor ploidy: 4.064
1
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.48 Tumor ploidy: 4.064 SNV log−likelihood: −101.85 GoF: 70.5% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 2980.35
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
5m3
4m1
2m0
3m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
0.16
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
0
1
2
3
4
0.0
0.2
0.4
0.6
0.8
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.065
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 5.065 SNV log−likelihood: −116.95 GoF: 42.3% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 2991.93
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m2
6m3
5m2
3m1
4m1
5m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
0.16
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
0
1
2
3
4
0.1
0.2
0.3
0.4
0.5
0.6
Cellular fraction



Purity: 0.35 Tumor ploidy: 2.054
0
1
2
3
4
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.35 Tumor ploidy: 2.054 SNV log−likelihood: −190.09 GoF: 14.4% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3065.56
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
1m0
2m0
3m2
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
0
1
2
3
4
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.61 Tumor ploidy: 5.985
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.61 Tumor ploidy: 5.985 SNV log−likelihood: −118.71 GoF: 76.7% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 2899.35
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m3
7m4
6m2
4m1
4m0
6m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
0.16
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.3 Tumor ploidy: 5.833
0
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.3 Tumor ploidy: 5.833 SNV log−likelihood: −123.92 GoF: 71% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 2869.85
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



2m3
2m2
7m4
2m0
3m0
6m1
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.69 Tumor ploidy: 3.041
1
2
3
4
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.69 Tumor ploidy: 3.041 SNV log−likelihood: −108.3 GoF: 35.7% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 2550.57
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m2
3m1
2m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.032
0.034
0.036
0.038
0.040
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 3
Frequency
0
1
2
0.090
0.095
0.100
0.105
0.110
0.115
0.120
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.102
2
3
4
Fraction Genome
0.00
0.05
0.10
0.15
0.20
0.25
0.30
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 3.102 SNV log−likelihood: −142.28 GoF: 35.3% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 1473.88
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
2
4
6
8
10
12
14
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m1
4m1
3m1
2m0
3m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.2
0.3
0.4
0.5
0.6
0.7
0.8
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.125
1
2
3
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.59 Tumor ploidy: 2.125 SNV log−likelihood: −111.77 GoF: 0% Mean coverage: 184
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 1128
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
5
10
15
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index


Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
3m2
1m0
2m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio


Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
0.16
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio


Power 0.8 at BQ 30
Frequency
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
Cellular fraction