






Purity: 0.45 Tumor ploidy: 4.35
0
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.45 Tumor ploidy: 4.35 SNV log−likelihood: −126.02 GoF: 70.6% Mean coverage: 294
3
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 1728.65
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



4m4
5m3
4m1
6m1
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.48 Tumor ploidy: 5.358
1
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.48 Tumor ploidy: 5.358 SNV log−likelihood: −123.81 GoF: 64.9% Mean coverage: 294
3
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1661.29
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



5m5
6m4
5m2
7m1
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m3
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 3.35
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.47 Tumor ploidy: 3.35 SNV log−likelihood: −136.42 GoF: 68.5% Mean coverage: 294
3
9
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1678.45
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



3m3
4m2
3m1
3m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 2.35
0
1
2
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.36 Tumor ploidy: 2.35 SNV log−likelihood: −165.41 GoF: 73.6% Mean coverage: 294
3
9
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1663.34
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
3m2
2m1
4m0
−0.3
−0.2
−0.1
0.0
0.1
0.2
0.3
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
−0.3
−0.2
−0.1
0.0
0.1
0.2
0.3
Copy Number log−ratio



Frequency
0
1
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.16 Tumor ploidy: 2.767
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.16 Tumor ploidy: 2.767 SNV log−likelihood: −171.14 GoF: 75.9% Mean coverage: 294
3
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 1682.13
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
4m3
2m1
2m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
2m1



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.25 Tumor ploidy: 4.541
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.25 Tumor ploidy: 4.541 SNV log−likelihood: −178.81 GoF: 74.9% Mean coverage: 294
3
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 1591.74
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
5m3
4m1
4m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m4
4m1



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 1.795
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
log2 ratio



Purity: 0.15 Tumor ploidy: 1.795 SNV log−likelihood: −187.52 GoF: 70.7% Mean coverage: 294
3
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 1626.5
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
1m1
1m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m2
1m1



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.65 Tumor ploidy: 3.315
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.65 Tumor ploidy: 3.315 SNV log−likelihood: −127.85 GoF: 56.5% Mean coverage: 294
3
9
12
14
19
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1388.76
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m1
4m2
4m1
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m2



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.297
0
1
2
3
4
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.59 Tumor ploidy: 2.297 SNV log−likelihood: −127.5 GoF: 61.3% Mean coverage: 294
3
9
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1007
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
10
15
20
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index


2m2
3m2
2m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 33.5
Frequency
Cellular fraction