






Purity: 0.6 Tumor ploidy: 3.997
1
2
3
4
5
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.6 Tumor ploidy: 3.997 SNV log−likelihood: −899.33 GoF: 74.1% Mean coverage: 856
2
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
60
70
SNV Index
SCNA−fit log−likelihood: 4367.92
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
7
0
10
20
30
40
50
60
70
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
50
60
70
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
m1
3m2
3m1
3m0
4m2
4m1
4m0
5m4
5m3
5m2
5m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.27 Tumor ploidy: 5.006
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.27 Tumor ploidy: 5.006 SNV log−likelihood: −978.83 GoF: 94.2% Mean coverage: 856
4 5 12 14 17 19
B−Allele Frequency
0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 4417.31
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 3 5 7
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m2
0m1
0m0
6m6
7m5
5m3
4m2
6m3
4m1
7m2
2m0
6m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
2m2
3m2
4m2
0m1
6m2
2m1
3m1
4m1
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.32 Tumor ploidy: 4.008
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.32 Tumor ploidy: 4.008 SNV log−likelihood: −947.09 GoF: 91.4% Mean coverage: 856
4
5
12
14
17
19
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 4349.77
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
0m0
5m5
6m4
3m2
4m2
3m1
5m2
6m2
2m0
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
0m1
2m1
3m1
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.54 Tumor ploidy: 5.959
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.54 Tumor ploidy: 5.959 SNV log−likelihood: −877.12 GoF: 89.8% Mean coverage: 856
2
5
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
20
40
60
SNV Index



SCNA−fit log−likelihood: 4185.61
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
0
20
40
60
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
20
40
60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1
7m5
5m3
7m4
6m3
7m3
5m2
4m1
7m2
5m1
6m1
7m1
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 5.96
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.44 Tumor ploidy: 5.96 SNV log−likelihood: −883.95 GoF: 92.2% Mean coverage: 856
2 4 5 7
14
17 19
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 4175.1
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
6
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
2m2
2m1
7m5
5m3
7m4
6m3
7m3
5m2
4m1
7m2
5m1
6m1
7m1
5m0
6m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m2
7m2
4m1
5m1
6m1
7m1



Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 4.045
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.43 Tumor ploidy: 4.045 SNV log−likelihood: −963.67 GoF: 86.2% Mean coverage: 856
2 4 5
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: 4309.15
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
6
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



1m2
1m1
1m0
2m0
3m2
3m1
3m0
4m2
4m0
5m4
5m3
5m2
5m1
5m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
6
7
8
9
10
11
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m2
3m1
4m2
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
0.35
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
2
4
6
8
10
0.2
0.4
0.6
0.8
1.0



Purity: 0.53 Tumor ploidy: 2.996
1
2
3
4
5
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.53 Tumor ploidy: 2.996 SNV log−likelihood: −1044.38 GoF: 61.9% Mean coverage: 856
2 4 5
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index
SCNA−fit log−likelihood: 4369.94
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
0
10
20
30
40
50
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
1m0
2m0
3m2
3m1
3m0
4m3
4m2
4m1
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.27 Tumor ploidy: 2.045
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.27 Tumor ploidy: 2.045 SNV log−likelihood: −1019.95 GoF: 88% Mean coverage: 856
4
5
12
14
17
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: 4290.57
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
1
3
5
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
3m3
4m3
1m1
0m0
2m1
3m1
1m0
4m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.4 Tumor ploidy: 1.996
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.4 Tumor ploidy: 1.996 SNV log−likelihood: −1086.38 GoF: 72.6% Mean coverage: 856
4
5
12
14
17
19
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: 4375.8
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
0m0
3m3
3m2
2m1
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 1.996
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.59 Tumor ploidy: 1.996 SNV log−likelihood: −988.23 GoF: 0% Mean coverage: 856
4 5
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 3765.31
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
0
10
20
30
40
50
SNV Index


Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
10
20
30
40
50
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
2m1
3m1
1m0
2m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 31
Frequency
Cellular fraction