






Purity: 0.36 Tumor ploidy: 4.123
0
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.36 Tumor ploidy: 4.123 SNV log−likelihood: −641.17 GoF: 74.4% Mean coverage: 426
1 2 3 4 5 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 665.19
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 3 5 7
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m0
4m0
4m1
4m2
4m3
4m4
5m5
6m2
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
4m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 5.123
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.35 Tumor ploidy: 5.123 SNV log−likelihood: −619.33 GoF: 88.7% Mean coverage: 426
1 2 3 4 5 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 618.7
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5 7
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
m1
1m1
m0
1m0
5m5
6m6
5m3
5m2
7m2
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
m1
1m1
5m2
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.34 Tumor ploidy: 3.123
0
1
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.34 Tumor ploidy: 3.123 SNV log−likelihood: −663.48 GoF: 74.5% Mean coverage: 426
1 2 3 4 5 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 640.39
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m0
3m1
3m2
3m3
4m4
5m1
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
3m1
3m2
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.7 Tumor ploidy: 4.061
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.7 Tumor ploidy: 4.061 SNV log−likelihood: −611.1 GoF: 73.9% Mean coverage: 426
1 2 4 5 7 11 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 506.75
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 6
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6
0 10 20 30 40 50 60
SNV Index



4m4
5m4
2m1
4m2
5m2
3m1
4m1
6m1
2m0
4m0
6m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
0.35
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
2
3
4
5
6
7
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.52 Tumor ploidy: 2.062
0
1
2
3
4
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.52 Tumor ploidy: 2.062 SNV log−likelihood: −687.14 GoF: 1.1% Mean coverage: 426
1 2 3 4 5 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 630.25
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
3m3
2m1
3m1
1m0
2m0
4m



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.061
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.95 Tumor ploidy: 5.061 SNV log−likelihood: −635.42 GoF: 50.9% Mean coverage: 426
1 2 3 4 5 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: 476.48
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6 7
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m5
5m4
5m3
5m2
6m2
4m1
5m1
7m1
5m0
1
0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.72 Tumor ploidy: 3.062
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.72 Tumor ploidy: 3.062 SNV log−likelihood: −727.59 GoF: 19.2% Mean coverage: 426
1 2 4 5 7 11 12 14 16 17
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 628.34
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m3
4m3
3m2
3m1
4m1
1m0
3m0
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.1
0.2
0.3
0.4
0.5
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
2
4
6
8
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.23 Tumor ploidy: 3.231
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.23 Tumor ploidy: 3.231 SNV log−likelihood: −701.52 GoF: 83.6% Mean coverage: 426
1 3 4 5 7 9 11 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 536.86
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 2 4 6
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m0
3m1
3m2
3m3
4m1
4m2
4m5
6m1
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
3m1
3m2
4m1
4m2
7m1
7m2



Frequency
Cellular fraction



Purity: 0.32 Tumor ploidy: 2.159
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio



Purity: 0.32 Tumor ploidy: 2.159 SNV log−likelihood: −671.2 GoF: 73.2% Mean coverage: 426
1 3 4 5 7 9 11 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40
SNV Index
SCNA−fit log−likelihood: 434.54
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 4
0 10 20 30 40
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
2m2
3m3
4m1
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 5.98
2
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1
0
1
2
log2 ratio


Purity: 0.55 Tumor ploidy: 5.98 SNV log−likelihood: −581.53 GoF: 84.6% Mean coverage: 426
1 2 4 5 7 11 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 10 20 30 40 50 60
SNV Index
SCNA−fit log−likelihood: 226.72
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 4 5 7
0 10 20 30 40 50 60
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m2
6m6
7m6
6m4
2m1
6m3
6m2
7m2
5m1
2m0
6m1
5m0
6m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
6m2
6m1


Power 0.8 at BQ 32
Frequency
Cellular fraction