






Purity: 0.55 Tumor ploidy: 5.998
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.55 Tumor ploidy: 5.998 SNV log−likelihood: −445.31 GoF: 86.6% Mean coverage: 409
2
5
6
7
9
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 2345.27
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
7
5
4
3
2
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
6
5
4
3
2
1
0
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
6m5
5m4
6m4
5m3
4m2
6m3
5m2
6m2
6m1
4m0
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m5
5m2
4m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 5
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.64 Tumor ploidy: 5 SNV log−likelihood: −440.94 GoF: 83.1% Mean coverage: 409
2
5
6
7
9
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: 2279.01
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
2
3
4
5
6
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
5m4
4m3
3m2
5m3
4m2
5m2
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m4
4m2
4m1
5m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 3.998
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.33 Tumor ploidy: 3.998 SNV log−likelihood: −472.56 GoF: 88.7% Mean coverage: 409
2
5
6
7
9
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 2342.04
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
3m3
4m3
2m1
4m2
3m1
4m1
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m4
2m1
3m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.17 Tumor ploidy: 4.994
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.17 Tumor ploidy: 4.994 SNV log−likelihood: −461.1 GoF: 90.4% Mean coverage: 409
2
5
6
7
9
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 2353.58
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
7
0
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
3m3
1m1
3m2
5m3
1m0
5m2
5m1
3m0
5m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m3
3m2
5m2
1m1
3m1
5m1
6m1



Frequency
Cellular fraction



Purity: 0.38 Tumor ploidy: 3
0
1
2
3
4
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.38 Tumor ploidy: 3 SNV log−likelihood: −469.42 GoF: 81.1% Mean coverage: 409
2
5
6
7
9
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 2281.09
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
6
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
2m1
3m1



Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 1.998
0
1
2
3
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.29 Tumor ploidy: 1.998 SNV log−likelihood: −480.87 GoF: 82.5% Mean coverage: 409
2
5
6
7
9
12
14
16
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 2301.42
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
5
2
1
0
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
2.0
1.5
1.0
0.5
0.0
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m1
2m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.996
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.33 Tumor ploidy: 5.996 SNV log−likelihood: −480.19 GoF: 89.1% Mean coverage: 409
2
5
6
7
9
12
13
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 2318.39
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
5
7
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
4m4
6m5
6m4
3m2
6m3
5m2
6m2
7m1
4m0
6m0



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1
6m1
7m1



Frequency
0
1
2
3
4
5
6
7
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.56 Tumor ploidy: 4
2
3
4
5
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.56 Tumor ploidy: 4 SNV log−likelihood: −466.45 GoF: 72.2% Mean coverage: 409
2
5
6
7
9
12
13
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: 2263.55
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
7
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
4m3
3m2
4m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Frequency
Cellular fraction



Purity: 0.2 Tumor ploidy: 3.044
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.2 Tumor ploidy: 3.044 SNV log−likelihood: −490.41 GoF: 91.2% Mean coverage: 409
2
5
6
7
9
12
14
16
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 2307.31
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
1m2
2m1
3m0
3m1
3m2
3m3
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1
3m2
4m1



Frequency
Cellular fraction



Purity: 0.9 Tumor ploidy: 3.048
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.9 Tumor ploidy: 3.048 SNV log−likelihood: −501.79 GoF: 35.2% Mean coverage: 409
2 5 6 7 9 12 14 16
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8
0 5 10 15 20 25 30 35
SNV Index



SCNA−fit log−likelihood: 1766.32
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5
0 5 10 15 20 25 30 35
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 5 10 15 20 25 30 35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m0
2m1
3m0
3m1
3m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 2
1
2
3
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.95 Tumor ploidy: 2 SNV log−likelihood: −572.36 GoF: 0% Mean coverage: 409
2
5
6
7
9
12
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
SNV Index



SCNA−fit log−likelihood: 1606.44
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
3
2
1
0
10
20
30
SNV Index


Maximum Likelihood Copy Number
2.0
1.5
1.0
0.5
0.0
0
10
20
30
SNV Index


1m1
2m2
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5


Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.10
0.15
0.20
0.25
0.30
0.35
0.40
−1.0
−0.5
0.0
0.5


Power 0.8 at BQ 33
Frequency
Cellular fraction
0
2
4
6
8
0.0
0.2
0.4
0.6
0.8
1.0