






Purity: 0.67 Tumor ploidy: 3.452
1
2
3
4
5
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.67 Tumor ploidy: 3.452 SNV log−likelihood: −519.3 GoF: 71.3% Mean coverage: 277
1 2 4 5 6 7 9 13 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 393.51
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5 7
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
3m2
4m2
5m2
3m1
4m1
1m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 5.902
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.43 Tumor ploidy: 5.902 SNV log−likelihood: −529.54 GoF: 85.1% Mean coverage: 277
1 2 4 5 6 9 13 14
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 375.66
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m3
7m4
5m2
4m1
7m2
5m1
7m1
5m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.63 Tumor ploidy: 5.902
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.63 Tumor ploidy: 5.902 SNV log−likelihood: −476.91 GoF: 88.4% Mean coverage: 277
1 2 4 5 6 7 9 13 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50 60
SNV Index



SCNA−fit log−likelihood: 241.94
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
2 3 4 5 6
0 10 20 30 40 50 60
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50 60
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m3
7m4
2m1
5m2
4m1
7m2
5m1
2m0
7m1
5m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
5m2
5m1
7m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.42 Tumor ploidy: 4.902
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.42 Tumor ploidy: 4.902 SNV log−likelihood: −533.9 GoF: 83.1% Mean coverage: 277
1 2 3 4 5 6 7 9 13 14
B−Allele Frequency
0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 351.07
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
3m1
4m4
4m2
6m3
7m3
6m2
4m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
4m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 2.453
0
1
2
3
4
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.55 Tumor ploidy: 2.453 SNV log−likelihood: −526.24 GoF: 20% Mean coverage: 277
1 2 3 4 5 6 7 9 13 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index



SCNA−fit log−likelihood: 290.35
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 4 6
0 10 20 30 40 50
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
2m1
4m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.27 Tumor ploidy: 2.903
0
1
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.27 Tumor ploidy: 2.903 SNV log−likelihood: −601.11 GoF: 83.2% Mean coverage: 277
1 2 3 4 5 7 9 11 13 14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 283.95
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
2m0
2m1
2m2
4m0
4m1
4m2
6m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
2m1
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 5.879
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.31 Tumor ploidy: 5.879 SNV log−likelihood: −576.78 GoF: 85.5% Mean coverage: 277
1 2 3 4 5 6 7 9 11 13 14
B−Allele Frequency
0.2 0.4 0.6 0.8 1.0
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 247.51
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 4 6
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6 7
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m3
7m4
4m2
5m2
4m1
7m2
5m1
5m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m3
4m2
1m1
4m1
5m1
7m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.44 Tumor ploidy: 1.453
0
1
2
3
5
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.44 Tumor ploidy: 1.453 SNV log−likelihood: −625.76 GoF: 43% Mean coverage: 277
1 2 3 4 5 7 9 11 13 14
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40
SNV Index



SCNA−fit log−likelihood: 248.7
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
0 1 2 3 5
0 10 20 30 40
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
0 10 20 30 40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
3m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.2 Tumor ploidy: 4.441
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
log2 ratio



Purity: 0.2 Tumor ploidy: 4.441 SNV log−likelihood: −604.22 GoF: 87.4% Mean coverage: 277
1 2 3 4 5 7 9 11 13 14
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: 251.28
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m0
3m0
3m1
3m2
3m3
6m0
6m1
6m3



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
3m1
3m2
6m1



Frequency
Cellular fraction



Purity: 0.75 Tumor ploidy: 2.452
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
log2 ratio


Purity: 0.75 Tumor ploidy: 2.452 SNV log−likelihood: −552.12 GoF: 47% Mean coverage: 277
1 2 3 4 5 6 7 9 13 14 20
B−Allele Frequency
0.0 0.2 0.4 0.6 0.8 1.0
0 10 20 30 40 50
SNV Index
SCNA−fit log−likelihood: −175.64
Copy Number log−ratio
−2.0 −1.5 −1.0 −0.5 0.0 0.5 1.0
1 2 3 4 5
0 10 20 30 40 50
SNV Index
Maximum Likelihood Copy Number
0 1 2 3 4
0 10 20 30 40 50
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
1m0
2m0
2m1
2m2
3m0
3m1
3m2
4m


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1


Power 0.8 at BQ 32
Frequency
Cellular fraction