






Purity: 0.85 Tumor ploidy: 4.839
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.85 Tumor ploidy: 4.839 SNV log−likelihood: −341.94 GoF: 61.4% Mean coverage: 155
5
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −894.94
Copy Number log−ratio
1
0
−1
−2
−3
−4
2
3
4
6
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
7m3
3m1
6m2
4m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.77 Tumor ploidy: 3.847
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.77 Tumor ploidy: 3.847 SNV log−likelihood: −392.17 GoF: 23.5% Mean coverage: 155
5
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −1219.46
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
3
5
7
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
0m0
6m3
5m2
3m1
1m0
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 4.063
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
log2 ratio



Purity: 0.59 Tumor ploidy: 4.063 SNV log−likelihood: −409.52 GoF: 0% Mean coverage: 155
5
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: −1295.24
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m2
0m0
7m3
5m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.38 Tumor ploidy: 3.391
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.38 Tumor ploidy: 3.391 SNV log−likelihood: −438.9 GoF: 26.1% Mean coverage: 155
5
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −1609.12
Copy Number log−ratio
−4
−3
−2
−1
0
1
0 1 3 5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
0m0
7m3
1m0
2m0
5m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.47 Tumor ploidy: 2.979
1
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.47 Tumor ploidy: 2.979 SNV log−likelihood: −432.87 GoF: 0% Mean coverage: 155
5
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −2208.68
Copy Number log−ratio
1
0
−1
−2
−3
−4
0
1
2
4
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
0m0
6m3
1m0
4m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 5.367
0
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−3
−2
−1
0
1
log2 ratio


Purity: 0.59 Tumor ploidy: 5.367 SNV log−likelihood: −413.36 GoF: 0% Mean coverage: 155
5
11
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
SNV Index
SCNA−fit log−likelihood: −2402.27
Copy Number log−ratio
1
0
−1
−2
−3
−4
7
5
3
2
0
0
10
20
30
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
3m3
4m3
0m0
4m1
7m2
2m0
3m0
4m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1


Power 0.8 at BQ 30
Frequency
Cellular fraction