






Purity: 0.21 Tumor ploidy: 2.03
0
1
2
3
4
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.21 Tumor ploidy: 2.03 SNV log−likelihood: −112.74 GoF: 83.1% Mean coverage: 181
2
4
5
7
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index



SCNA−fit log−likelihood: −8936.64
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
2
4
6
8
10
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
2m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 3.047
0
1
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.33 Tumor ploidy: 3.047 SNV log−likelihood: −122.29 GoF: 83.4% Mean coverage: 181
B−Allele Frequency
SNV Index



SCNA−fit log−likelihood: −8938.61
Copy Number log−ratio
SNV Index



Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m3
3m2
3m1
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.05
0.06
0.07
0.08
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
7
0.26
0.28
0.30
0.32
0.34
0.36
0.38
Cellular fraction



Purity: 0.58 Tumor ploidy: 4.047
0
2
4
5
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
log2 ratio



Purity: 0.58 Tumor ploidy: 4.047 SNV log−likelihood: −120.74 GoF: 68.5% Mean coverage: 181
1
2
4
5
7
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index



SCNA−fit log−likelihood: −8944.21
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
4
5
2
4
6
8
10
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m3
4m2
4m0
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.040
0.045
0.050
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
7
0.20
0.22
0.24
0.26
0.28
Cellular fraction



Purity: 0.26 Tumor ploidy: 4.03
0
1
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.26 Tumor ploidy: 4.03 SNV log−likelihood: −121.69 GoF: 91.3% Mean coverage: 181
2
4
5
7
9
14
B−Allele Frequency
0.5
0.6
0.7
0.8
2
4
6
8
SNV Index
SCNA−fit log−likelihood: −8929.51
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
3
4
6
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
SNV Index



Allelic fraction (germline)
0.5
0.6
0.7
0.8
4m4
4m3
4m2
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.05
0.06
0.07
0.08
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Frequency
0
2
4
6
8
0.35
0.40
0.45
0.50
Cellular fraction



Purity: 0.87 Tumor ploidy: 3
2
3
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.87 Tumor ploidy: 3 SNV log−likelihood: −122.71 GoF: 91.2% Mean coverage: 181
1 2 4 5 7 9 10 12 13 16
B−Allele Frequency
0.2 0.4 0.6 0.8
5 10 15 20
SNV Index



SCNA−fit log−likelihood: −8970.1
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
2 3 4
5 10 15 20
SNV Index



Maximum Likelihood Copy Number
0.0 0.5 1.0 1.5 2.0 2.5 3.0
5 10 15 20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m2
3m1
3m0
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.4
0.5
0.6
0.7
0.8
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.03
2
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.33 Tumor ploidy: 5.03 SNV log−likelihood: −125.5 GoF: 92% Mean coverage: 181
2
4
5
7
9
14
B−Allele Frequency
0.5
0.6
0.7
0.8
2
4
6
8
SNV Index



SCNA−fit log−likelihood: −8929.5
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
4
5
6
2
4
6
8
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
SNV Index



Allelic fraction (germline)
0.5
0.6
0.7
0.8
5m5
5m3
5m2
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.05
0.06
0.07
0.08
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Frequency
0
1
2
3
4
5
0.35
0.40
0.45
Cellular fraction



Purity: 0.66 Tumor ploidy: 2
0
1
2
3
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
log2 ratio



Purity: 0.66 Tumor ploidy: 2 SNV log−likelihood: −139.91 GoF: 0% Mean coverage: 181
2
4
5
7
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index



SCNA−fit log−likelihood: −8970.21
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
2
4
6
8
10
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
SNV Index



2m2
2m1
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−0.4
−0.2
0.0
0.2
0.4
0.6



Coverage (log2)
Allelic fraction
5
6
7
8
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.05
0.06
0.07
0.08
−0.4
−0.2
0.0
0.2
0.4
0.6



Frequency
Cellular fraction
0
1
2
3
4
5
6
7
0.11
0.12
0.13
0.14
0.15
0.16



Purity: 0.25 Tumor ploidy: 5.984
2
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.25 Tumor ploidy: 5.984 SNV log−likelihood: −126.25 GoF: 95.6% Mean coverage: 181
2
4
5
7
9
14
B−Allele Frequency
0.5
0.6
0.7
0.8
2
4
6
8
SNV Index



SCNA−fit log−likelihood: −8946.48
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
5
7
2
4
6
8
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
SNV Index



Allelic fraction (germline)
0.5
0.6
0.7
0.8
6m6
6m4
5m3
6m3
5m2
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Coverage (log2)
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.05
0.06
0.07
0.08
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.4
−0.2
0.0
0.2
0.4
0.6
Copy Number log−ratio



Frequency
0
2
4
6
8
0.40
0.45
0.50
0.55
0.60
0.65
Cellular fraction



Purity: 0.19 Tumor ploidy: 5.112
0
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.19 Tumor ploidy: 5.112 SNV log−likelihood: −126.74 GoF: 95.3% Mean coverage: 181
2
4
5
7
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index



SCNA−fit log−likelihood: −8928.47
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
4
6
2
4
6
8
10
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
5m3
6m3
5m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.984
0
3
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
log2 ratio



Purity: 0.45 Tumor ploidy: 5.984 SNV log−likelihood: −124.89 GoF: 88.2% Mean coverage: 181
1
2
4
5
7
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index



SCNA−fit log−likelihood: −9004.68
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
5
6
7
2
4
6
8
10
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
SNV Index



6m6
6m5
6m3
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 5.984
0
3
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
log2 ratio



Purity: 0.56 Tumor ploidy: 5.984 SNV log−likelihood: −120.65 GoF: 85.1% Mean coverage: 181
1 2 4 5 7 9 14
B−Allele Frequency
0.2 0.4 0.6 0.8
2 4 6 8 10
SNV Index



SCNA−fit log−likelihood: −9025.09
Copy Number log−ratio
−1.0 −0.5 0.0 0.5 1.0
3 5 6 7
2 4 6 8 10
SNV Index



Maximum Likelihood Copy Number
0 1 2 3 4 5 6
2 4 6 8 10
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m5
6m3
5m0
6m0
0.2
0.4
0.6
0.8
−0.4
−0.2
0.0
0.2
0.4
0.6



Coverage (log2)
Allelic fraction
5
6
7
8
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.040
0.045
0.050
−0.4
−0.2
0.0
0.2
0.4
0.6



Frequency
Cellular fraction
0
1
2
3
4
5
6
0.26
0.28
0.30
0.32
0.34
0.36
0.38
0.40



Purity: 0.15 Tumor ploidy: 5.997
0
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.15 Tumor ploidy: 5.997 SNV log−likelihood: −131.2 GoF: 96.2% Mean coverage: 181
2
4
5
7
9
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index



SCNA−fit log−likelihood: −9152.07
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
4
6
2
4
6
8
10
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
5m5
6m6
6m4
5m3
6m3
5m2
7m2


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1


Frequency
Cellular fraction