






Purity: 0.86 Tumor ploidy: 3.102
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.86 Tumor ploidy: 3.102 SNV log−likelihood: −260.13 GoF: 62.1% Mean coverage: 222
1
2
11
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
50
SNV Index



SCNA−fit log−likelihood: −10636.32
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
3
4
6
0
10
20
30
40
50
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
10
20
30
40
50
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
m0
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.84 Tumor ploidy: 4.327
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.84 Tumor ploidy: 4.327 SNV log−likelihood: −252.97 GoF: 60% Mean coverage: 222
1
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −10691.14
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
3
4
6
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
0
10
20
30
40
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
6m4
3m0
4m0
6m0
−3
−2
−1
0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−3
−2
−1
0
Copy Number log−ratio



Frequency
0
1
2
3
0.20
0.25
0.30
0.35
0.40
0.45
0.50
Cellular fraction



Purity: 0.53 Tumor ploidy: 3.349
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.53 Tumor ploidy: 3.349 SNV log−likelihood: −259.55 GoF: 0% Mean coverage: 222
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −10675.48
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
5m4
0m0
3m0
−3
−2
−1
0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0.30
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
5m1
−3
−2
−1
0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
2
4
6
8
10
0.1
0.2
0.3
0.4
0.5
0.6
Cellular fraction



Purity: 0.73 Tumor ploidy: 4.33
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.73 Tumor ploidy: 4.33 SNV log−likelihood: −278.18 GoF: 0% Mean coverage: 222
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −10682.04
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
3
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m0
4m0
6m0
6m5



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
6m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.88 Tumor ploidy: 5.297
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.88 Tumor ploidy: 5.297 SNV log−likelihood: −219.93 GoF: 87.9% Mean coverage: 222
1
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: −10844.2
Copy Number log−ratio
−4
−3
−2
−1
0
1
2
3
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
7m5
5m1
4m0
5m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.7 Tumor ploidy: 2.165
0
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−3
−2
−1
0
1
2
log2 ratio



Purity: 0.7 Tumor ploidy: 2.165 SNV log−likelihood: −335.35 GoF: 0% Mean coverage: 222
2
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
SNV Index



SCNA−fit log−likelihood: −10722.6
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
3
5
1
2
3
4
5
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m2
0m0
2m0
−3
−2
−1
0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0.30
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
−3
−2
−1
0
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
2
4
6
8
10
0.05
0.10
0.15
0.20
0.25
0.30
0.35
Cellular fraction



Purity: 0.45 Tumor ploidy: 4.313
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio


Purity: 0.45 Tumor ploidy: 4.313 SNV log−likelihood: −243.8 GoF: 56.1% Mean coverage: 222
2
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: −10918.62
Copy Number log−ratio
−4
−3
−2
−1
0
1
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
6m5
0m0
4m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1
6m1


Power 0.8 at BQ 32
Frequency
Cellular fraction