






Purity: 0.48 Tumor ploidy: 2.991
0
1
2
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.48 Tumor ploidy: 2.991 SNV log−likelihood: −108.93 GoF: 0% Mean coverage: 155
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: −9948.52
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
3m1
1m0
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
1
2
3
4
5
6
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.44 Tumor ploidy: 4.974
0
2
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.44 Tumor ploidy: 4.974 SNV log−likelihood: −103.2 GoF: 0% Mean coverage: 155
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: −9923.57
Copy Number log−ratio
1
0
−1
−2
−3
2
4
6
0
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
5m2
2m0
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
0.16
0.18
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
1
2
3
4
5
0.1
0.2
0.3
0.4
0.5
Cellular fraction



Purity: 0.4 Tumor ploidy: 3.974
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.4 Tumor ploidy: 3.974 SNV log−likelihood: −108.35 GoF: 26.9% Mean coverage: 155
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: −9928.01
Copy Number log−ratio
−3
−2
−1
0
1
0 1 3 5 7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
1m0
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m3
0m1
1m1
4m1
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.864
0
2
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.33 Tumor ploidy: 5.864 SNV log−likelihood: −103.66 GoF: 64.1% Mean coverage: 155
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: −9944.4
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m2
6m2
2m0
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
2m1
6m1
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
1
2
3
4
5
6
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.54 Tumor ploidy: 5.976
0
3
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.54 Tumor ploidy: 5.976 SNV log−likelihood: −114.99 GoF: 0% Mean coverage: 155
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
SNV Index
SCNA−fit log−likelihood: −9954.74
Copy Number log−ratio
1
0
−1
−2
−3
7
5
3
0
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
SNV Index



3m3
6m3
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio
0.1
0.2
0.3
0.4
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
1
2
3
4
5
6
7
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.55 Tumor ploidy: 4.968
0
2
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.55 Tumor ploidy: 4.968 SNV log−likelihood: −119.83 GoF: 0% Mean coverage: 155
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: −9925.91
Copy Number log−ratio
−3
−2
−1
0
1
0
2
4
6
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
SNV Index



2m2
5m2
2m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
Cellular fraction



Purity: 0.66 Tumor ploidy: 5.972
3
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.66 Tumor ploidy: 5.972 SNV log−likelihood: −134.68 GoF: 0% Mean coverage: 155
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
6
7
SNV Index
SCNA−fit log−likelihood: −9933.88
Copy Number log−ratio
−3
−2
−1
0
1
7
5
3
0
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



3m3
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m3
6m3
3m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 31
Frequency
Cellular fraction
0
2
4
6
8
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.95 Tumor ploidy: 3.987
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.95 Tumor ploidy: 3.987 SNV log−likelihood: −107.11 GoF: 72.3% Mean coverage: 155
14
B−Allele Frequency
0.1
0.2
0.3
0.4
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: −9990.16
Copy Number log−ratio
1
0
−1
−2
−3
2
3
4
5
2
4
6
8
10
12
14
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
Allelic fraction (somatic)
0.2
0.4
0.6
0.8
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
1
2
3
4
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.32 Tumor ploidy: 1.968
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.32 Tumor ploidy: 1.968 SNV log−likelihood: −147.38 GoF: 42.3% Mean coverage: 155
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: −9937.16
Copy Number log−ratio
−3
−2
−1
0
1
0 1 3
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
2m1
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
2
4
6
8
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.19 Tumor ploidy: 2.863
0
1
2
3
4
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.19 Tumor ploidy: 2.863 SNV log−likelihood: −151.89 GoF: 61.6% Mean coverage: 155
B−Allele Frequency
0.2
0.4
0.6
0.8
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: −9928.35
Copy Number log−ratio
−3
−2
−1
0
1
0 2 6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m0
3m1
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0m1
3m1
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Power 0.8 at BQ 31
Frequency
0
1
2
3
4
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.84 Tumor ploidy: 2.004
0
1
2
3
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio


Purity: 0.84 Tumor ploidy: 2.004 SNV log−likelihood: −208.19 GoF: 0% Mean coverage: 155
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: −10054.69
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
2
4
6
8
10
12
14
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
12
14
SNV Index


1m1
2m0
Allelic fraction (germline)
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0.2
0.4
0.6
0.8


Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
Allelic fraction (somatic)
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0.2
0.3
0.4
0.5
0.6
0.7


Frequency
Cellular fraction
0
1
2
3
0.2
0.4
0.6
0.8
1.0