






Purity: 0.45 Tumor ploidy: 5.064
0
2
3
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.45 Tumor ploidy: 5.064 SNV log−likelihood: −143.65 GoF: 11.9% Mean coverage: 354
4
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
SNV Index
SCNA−fit log−likelihood: −8908.63
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
5
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
SNV Index



5m4
5m2
5m1
5m0
7m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 4.064
0
1
2
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.45 Tumor ploidy: 4.064 SNV log−likelihood: −148.54 GoF: 0% Mean coverage: 354
4
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
SNV Index
SCNA−fit log−likelihood: −8906.02
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
2
4
6
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
SNV Index



5m4
4m2
4m0
7m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.93 Tumor ploidy: 3.032
2
3
4
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.93 Tumor ploidy: 3.032 SNV log−likelihood: −152.24 GoF: 81.2% Mean coverage: 354
4
9
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −8906.14
Copy Number log−ratio
−3
−2
−1
0
1
2
2
3
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
3m1
6m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
4m1



Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 2.064
0
1
2
3
4
Fraction Genome
0.0
0.1
0.2
0.3
0.4
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.37 Tumor ploidy: 2.064 SNV log−likelihood: −162.35 GoF: 22.5% Mean coverage: 354
4
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
1
2
3
4
5
6
7
SNV Index
SCNA−fit log−likelihood: −8915.06
Copy Number log−ratio
−3
−2
−1
0
1
2
0 1 3
1
2
3
4
5
6
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
2m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.22 Tumor ploidy: 2.187
0
2
3
5
6
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.22 Tumor ploidy: 2.187 SNV log−likelihood: −142.3 GoF: 84.3% Mean coverage: 354
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: −8939.76
Copy Number log−ratio
−3
−2
−1
0
1
2
0 3 6
1
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m1
3m1
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
5m1
6m1



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.26 Tumor ploidy: 4.105
0
1
4
5
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.26 Tumor ploidy: 4.105 SNV log−likelihood: −144.36 GoF: 76.1% Mean coverage: 354
4
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
1
2
3
4
5
6
7
SNV Index
SCNA−fit log−likelihood: −8917.94
Copy Number log−ratio
−3
−2
−1
0
1
2
0
4
7
1
2
3
4
5
6
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
0.2
0.3
0.4
0.5
0.6
0.7
4m2
4m0
−2
−1
0
1
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
7m1
Allelic fraction (somatic)
0.04
0.06
0.08
0.10
−2
−1
0
1
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
0
2
4
6
8
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.56 Tumor ploidy: 4.064
0
2
3
4
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.56 Tumor ploidy: 4.064 SNV log−likelihood: −163.41 GoF: 0% Mean coverage: 354
4
9
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: −8909.22
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
4
6
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
SNV Index



4m3
4m2
4m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 3.032
0
1
2
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.59 Tumor ploidy: 3.032 SNV log−likelihood: −202.81 GoF: 0% Mean coverage: 354
4
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: −8917.89
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
2
3
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
4m1
5m1



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.68 Tumor ploidy: 4.063
0
2
3
4
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.68 Tumor ploidy: 4.063 SNV log−likelihood: −205.92 GoF: 0% Mean coverage: 354
4
9
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
SNV Index



SCNA−fit log−likelihood: −8913.05
Copy Number log−ratio
−3
−2
−1
0
1
2
0
2
3
6
2
4
6
8
10
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
SNV Index



4m3
4m2
4m1
4m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 30
Frequency
Cellular fraction



Purity: 0.72 Tumor ploidy: 2.032
0
1
2
3
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio


Purity: 0.72 Tumor ploidy: 2.032 SNV log−likelihood: −315.21 GoF: 0% Mean coverage: 354
4
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: −8901.9
Copy Number log−ratio
−3
−2
−1
0
1
2
0
1
2
3
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
2m1
2m0
3m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio


Power 0.8 at BQ 30
Frequency
Cellular fraction