






Purity: 0.54 Tumor ploidy: 2.974
0
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.54 Tumor ploidy: 2.974 SNV log−likelihood: −157.96 GoF: 85.7% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −9542.33
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
3m2
3m0
4m0
7m1
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.0355
0.0365
0.0375
0.0385
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
0.10
0.12
0.14
0.16
0.18
0.20
Cellular fraction



Purity: 0.62 Tumor ploidy: 1.969
0
1
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.62 Tumor ploidy: 1.969 SNV log−likelihood: −156 GoF: 77.8% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −9547.16
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
2m1
2m0
3m0
4m0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
0.0
0.1
0.2
0.3
0.4
Cellular fraction



Purity: 0.45 Tumor ploidy: 3.938
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.45 Tumor ploidy: 3.938 SNV log−likelihood: −158.04 GoF: 91.2% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −9550.92
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



n1
4m2
7m1
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 3.974
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.58 Tumor ploidy: 3.974 SNV log−likelihood: −171.03 GoF: 85.5% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −9540.91
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m2
7m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.46 Tumor ploidy: 4.946
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.46 Tumor ploidy: 4.946 SNV log−likelihood: −158.34 GoF: 92.9% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −9530.54
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
5m3
5m0
6m0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.65 Tumor ploidy: 5.938
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.65 Tumor ploidy: 5.938 SNV log−likelihood: −169.07 GoF: 68.3% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index
SCNA−fit log−likelihood: −9533.58
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
6m1
6m0
7m0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
0.6
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.68 Tumor ploidy: 2.969
1
2
3
4
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.68 Tumor ploidy: 2.969 SNV log−likelihood: −186.76 GoF: 74.3% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −9537.61
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
Copy Number log−ratio
6m1
3m0
4m0



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
−0.5
0.0
0.5
Copy Number log−ratio
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.49 Tumor ploidy: 5.951
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.49 Tumor ploidy: 5.951 SNV log−likelihood: −175.92 GoF: 90.4% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −9562.8
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
6m3
6m0
7m0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
0.6
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
0
1
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.72 Tumor ploidy: 3.971
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.72 Tumor ploidy: 3.971 SNV log−likelihood: −206.49 GoF: 67% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index
SCNA−fit log−likelihood: −9537.09
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
Copy Number log−ratio
7m1
4m0
5m0



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Power 0.8 at BQ 32
Frequency
0
1
2
3
4
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.44 Tumor ploidy: 1.971
0
1
2
3
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.44 Tumor ploidy: 1.971 SNV log−likelihood: −222.57 GoF: 70.1% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index



SCNA−fit log−likelihood: −9545.94
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
2m0
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 2.969
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 2.969 SNV log−likelihood: −224.41 GoF: 37.5% Mean coverage: 318
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: −9556.12
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
2
4
6
8
10
12
14
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
5m1
3m0
4m0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.2
0.3
0.4
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.84 Tumor ploidy: 2.969
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.84 Tumor ploidy: 2.969 SNV log−likelihood: −234.48 GoF: 48.4% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index
SCNA−fit log−likelihood: −9547.07
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
5m1
3m0
4m0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.2
0.3
0.4
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.23 Tumor ploidy: 5.952
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.23 Tumor ploidy: 5.952 SNV log−likelihood: −216.59 GoF: 86.7% Mean coverage: 318
12
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index
SCNA−fit log−likelihood: −9567.86
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0
6m3
6m0
7m0


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
7m2
5m1
6m1


Frequency
Cellular fraction