






Purity: 0.43 Tumor ploidy: 3.878
0
1
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.43 Tumor ploidy: 3.878 SNV log−likelihood: −172.81 GoF: 61.7% Mean coverage: 182
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
SNV Index
SCNA−fit log−likelihood: −8650.68
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m2
4m3
3m1
6m1
5m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
4m1
6m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.6 Tumor ploidy: 3.487
0
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.6 Tumor ploidy: 3.487 SNV log−likelihood: −170.28 GoF: 0% Mean coverage: 182
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index
SCNA−fit log−likelihood: −8674.35
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
5
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
4m2
3m1
4m1
5m1
4m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
2m1
4m1
5m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.69 Tumor ploidy: 4.554
0
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.69 Tumor ploidy: 4.554 SNV log−likelihood: −182.09 GoF: 0% Mean coverage: 182
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
SNV Index
SCNA−fit log−likelihood: −8651.21
Copy Number log−ratio
−2.0
−1.5
−1.0
0.0
0.5
1.0
2
3
4
5
6
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
5m3
4m2
5m2
3m1
7m1
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
5m1
7m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.75 Tumor ploidy: 5.047
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.75 Tumor ploidy: 5.047 SNV log−likelihood: −193.14 GoF: 60.3% Mean coverage: 182
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −8813.11
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
5m3
4m2
5m2
7m1
3m0
4m0
6m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
7m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 4.218
2
3
4
5
6
7
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.33 Tumor ploidy: 4.218 SNV log−likelihood: −182.92 GoF: 80.3% Mean coverage: 182
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
SNV Index



SCNA−fit log−likelihood: −8856.32
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
5m3
0m0
2m1
4m2
5m2
5m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m1
5m1
7m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.73 Tumor ploidy: 5.924
3
4
5
6
7
8.6
Fraction Genome
0.00
0.05
0.10
0.15
−2
−1
0
1
2
log2 ratio


Purity: 0.73 Tumor ploidy: 5.924 SNV log−likelihood: −192.38 GoF: 0% Mean coverage: 182
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
SNV Index
SCNA−fit log−likelihood: −9273.43
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
8.6
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
5m3
4m2
6m3
5m2
4m0
7m0


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m1
6m1


Power 0.8 at BQ 33
Frequency
Cellular fraction