






Purity: 0.92 Tumor ploidy: 4.583
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.92 Tumor ploidy: 4.583 SNV log−likelihood: −303.43 GoF: 67.6% Mean coverage: 236
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: −10401.31
Copy Number log−ratio
−2
−1
0
1
2
2
4
5
7
0
10
20
30
40
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
0
10
20
30
40
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
5m4
2m0
4m0
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
−1.5
−1.0
−0.5
0.0
0.5
1.0
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.402
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.95 Tumor ploidy: 3.402 SNV log−likelihood: −326.78 GoF: 43.5% Mean coverage: 236
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index
SCNA−fit log−likelihood: −10401.92
Copy Number log−ratio
−2
−1
0
1
2
2
3
4
5
7
0
5
10
15
20
25
30
35
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
35
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
2m0
3m0
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
0.1
0.2
0.3
0.4
0.5
−1.5
−1.0
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
2
4
6
8
10
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.33 Tumor ploidy: 1.677
0
1
2
3
5
6
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.33 Tumor ploidy: 1.677 SNV log−likelihood: −348.3 GoF: 66.4% Mean coverage: 236
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: −10368.37
Copy Number log−ratio
−2
−1
0
1
2
0 1 3 5
5
10
15
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
5
10
15
SNV Index



2m3
1m1
0m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.58 Tumor ploidy: 3.651
1
3
4
5
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.58 Tumor ploidy: 3.651 SNV log−likelihood: −332.33 GoF: 7.3% Mean coverage: 236
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −10418.73
Copy Number log−ratio
−2
−1
0
1
2
1
3
4
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



4m4
3m2
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
0.30
−1.5
−1.0
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
2
4
6
8
10
12
14
0.2
0.4
0.6
0.8
1.0



Purity: 0.47 Tumor ploidy: 2.651
0
2
3
4
6
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.47 Tumor ploidy: 2.651 SNV log−likelihood: −340.54 GoF: 0% Mean coverage: 236
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: −10476.06
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



3m3
2m1
Allelic fraction (germline)
Copy Number log−ratio
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
1.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
−1.5
−1.0
−0.5
0.0
0.5
1.0



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
2
4
6
8
10
12
14
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8



Purity: 0.84 Tumor ploidy: 2.308
1
2
3
4
6
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.84 Tumor ploidy: 2.308 SNV log−likelihood: −392.28 GoF: 9.9% Mean coverage: 236
12
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −10392.47
Copy Number log−ratio
−2
−1
0
1
2
1
2
3
4
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
0
5
10
15
20
25
30
SNV Index



2m2
1m0
2m0
Allelic fraction (germline)
Copy Number log−ratio
−1.5
−1.0
−0.5
0.0
0.5
1.0
0.2
0.4
0.6
0.8



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
Allelic fraction (somatic)
Copy Number log−ratio
−1.5
−1.0
−0.5
0.0
0.5
1.0
0.1
0.2
0.3
0.4
0.5



Power 0.8 at BQ 32
Frequency
Cellular fraction
0
1
2
3
4
5
6
0.2
0.4
0.6
0.8
1.0



Purity: 0.24 Tumor ploidy: 2.033
1
2
3
4
5
7
0.20
0.15
0.10
0.05
0.00
Fraction Genome
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.24 Tumor ploidy: 2.033 SNV log−likelihood: −345.04 GoF: 84.5% Mean coverage: 236
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: −10633.23
Copy Number log−ratio
−2
−1
0
1
2
0 2 4 7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
5
10
15
SNV Index



2m4
1m1
0m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.31 Tumor ploidy: 4.004
0
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.31 Tumor ploidy: 4.004 SNV log−likelihood: −296.04 GoF: 77.3% Mean coverage: 236
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −10787.06
Copy Number log−ratio
−2
−1
0
1
2
0
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



4m5
3m2
0m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.27 Tumor ploidy: 3.026
0
1
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.27 Tumor ploidy: 3.026 SNV log−likelihood: −304.14 GoF: 82.4% Mean coverage: 236
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −10808.36
Copy Number log−ratio
−2
−1
0
1
2
0
2
4
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
5
10
15
20
SNV Index



3m4
0m0
2m1
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



0m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 4.728
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio


Purity: 0.57 Tumor ploidy: 4.728 SNV log−likelihood: −312.38 GoF: 56.3% Mean coverage: 236
12
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −10794.46
Copy Number log−ratio
−2
−1
0
1
2
2
3
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index


5m5
4m0
Allelic fraction (germline)
Copy Number log−ratio
−1.5
−1.0
−0.5
0.0
0.5
1.0
0.2
0.4
0.6
0.8


Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.2
0.4
0.6
0.8


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio
−1.5
−1.0
−0.5
0.0
0.5
1.0
0.1
0.2
0.3
0.4
0.5


Power 0.8 at BQ 32
Frequency
Cellular fraction
0
2
4
6
8
0.2
0.4
0.6
0.8
1.0