






Purity: 0.55 Tumor ploidy: 4.41
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.55 Tumor ploidy: 4.41 SNV log−likelihood: −241.9 GoF: 72.5% Mean coverage: 324
6
7
9
14
16
19
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1128.58
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
3m3
5m5
7m4
4m2
6m2
4m1
3m0
4m0
5m0



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0.30
0.35
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1



Frequency
0
2
4
6
8
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.53 Tumor ploidy: 2.257
1
2
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.53 Tumor ploidy: 2.257 SNV log−likelihood: −258.54 GoF: 45.4% Mean coverage: 324
6
9
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 1126.55
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
2m2
1m1
5m3
2m1
3m1
1m0
2m0



Coverage (log2)
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0.30
0.35
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
0
2
4
6
8
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.64 Tumor ploidy: 3.257
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.64 Tumor ploidy: 3.257 SNV log−likelihood: −258.1 GoF: 53.3% Mean coverage: 324
6
7
9
14
19
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1122.12
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
2m2
1
6m4
3m1
4m1
0
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
2m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.257
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.95 Tumor ploidy: 4.257 SNV log−likelihood: −256.02 GoF: 67.8% Mean coverage: 324
6
9
14
16
19
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 1125.22
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m2
7m4
4m2
5m2
3m1
4m1
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.82 Tumor ploidy: 3.255
2
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.82 Tumor ploidy: 3.255 SNV log−likelihood: −266.39 GoF: 48.8% Mean coverage: 324
6
7
9
14
19
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 1083.53
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index



2m2
3m3
3m2
5m3
2m1
3m1
4m1
2m0
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio
0.20
0.25
0.30
0.35
0.40
0.45
0.50
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
2
3
4
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0



Purity: 0.48 Tumor ploidy: 3.412
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.48 Tumor ploidy: 3.412 SNV log−likelihood: −224.62 GoF: 74% Mean coverage: 324
6
7
9
14
19
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 1032.69
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
7m4
3m1
5m1
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 3.466
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.36 Tumor ploidy: 3.466 SNV log−likelihood: −231.57 GoF: 83.2% Mean coverage: 324
6
9
14
16
19
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1029.27
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
7m5
3m2
m0
3m1
2m0
5m1
3m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1



Frequency
Cellular fraction



Purity: 0.27 Tumor ploidy: 2.525
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.27 Tumor ploidy: 2.525 SNV log−likelihood: −251.11 GoF: 82.4% Mean coverage: 324
6
9
14
16
19
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: 909.53
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m0
1m1
2m0
2m1
3m0
3m3
4m0
7m5



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
2m2
3m1



Frequency
Cellular fraction



Purity: 0.94 Tumor ploidy: 3.256
2
3
4
5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.94 Tumor ploidy: 3.256 SNV log−likelihood: −286.22 GoF: 48.1% Mean coverage: 324
6
9
14
19
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 920.46
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



2m2
3m3
3m2
5m3
2m1
3m1
4m1
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.17 Tumor ploidy: 1.785
0
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.4
−0.2
0.0
0.2
0.4
0.6
0.8
log2 ratio



Purity: 0.17 Tumor ploidy: 1.785 SNV log−likelihood: −289.65 GoF: 86.1% Mean coverage: 324
6
9
14
16
19
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
5
10
15
SNV Index



SCNA−fit log−likelihood: 973.8
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
2
4
7
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
0m0
1m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m2
2m2
0m1
1m1
2m1



Frequency
Cellular fraction



Purity: 0.9 Tumor ploidy: 2.154
1
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.9 Tumor ploidy: 2.154 SNV log−likelihood: −262.34 GoF: 0% Mean coverage: 324
6
7
9
14
16
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 754.96
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
2m2
2m1
3m1
1m0
2m0
4



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1



Frequency
Cellular fraction



Purity: 0.61 Tumor ploidy: 5.307
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.61 Tumor ploidy: 5.307 SNV log−likelihood: −231.41 GoF: 79.6% Mean coverage: 324
6
7
9
14
19
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 472.83
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m5
4m3
5m2
4m1
7m2
5m1
4m0
5m0
6m0
m1
m0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m3
4m1
5m1
6m1
0.1
0.2
0.3
0.4
0.5
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
2
3
4
5
6
0.2
0.4
0.6
0.8
1.0



Purity: 0.46 Tumor ploidy: 1.405
0
1
2
3
4
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.46 Tumor ploidy: 1.405 SNV log−likelihood: −291.27 GoF: 42.5% Mean coverage: 324
6
9
14
16
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −840.65
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
10
15
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index


0m1
2m2
1m1
4m1
0m0
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
0.2
0.4
0.6
0.8


Coverage (log2)
Allelic fraction
0.0
0.2
0.4
0.6
0.8
5
6
7
8
9
10


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
Allelic fraction (somatic)
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
0.05
0.10
0.15
0.20
0.25
0.30


Power 0.8 at BQ 32
Frequency
Cellular fraction
0.0
0.2
0.4
0.6
0.8
1.0
0
1
2
3
4
5
6
7