






Purity: 0.67 Tumor ploidy: 3.944
2
3
4
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.67 Tumor ploidy: 3.944 SNV log−likelihood: −162.38 GoF: 71.3% Mean coverage: 445
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 2007.98
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
4m2
3m1
2m0
3m0
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
Allelic fraction



Allelic fraction (somatic)
0.05
0.06
0.07
0.08
0.09
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
0.10
0.15
0.20
0.25
0.30
0.35
0.40
Cellular fraction



Purity: 0.53 Tumor ploidy: 3.944
2
3
4
5
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.53 Tumor ploidy: 3.944 SNV log−likelihood: −183.95 GoF: 72.2% Mean coverage: 445
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
5
10
15
SNV Index
SCNA−fit log−likelihood: 2024.92
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m2
2m0
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 4.945
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.55 Tumor ploidy: 4.945 SNV log−likelihood: −176.61 GoF: 84.6% Mean coverage: 445
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1970.18
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
4m1
4m0
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
Allelic fraction



Allelic fraction (somatic)
0.05
0.06
0.07
0.08
0.09
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Power 0.8 at BQ 33.5
Frequency
0
1
2
3
4
5
6
0.1
0.2
0.3
0.4
0.5
0.6
Cellular fraction



Purity: 0.28 Tumor ploidy: 4.854
1
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.28 Tumor ploidy: 4.854 SNV log−likelihood: −242.13 GoF: 93.1% Mean coverage: 445
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 2094.97
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
7
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
1
2
3
4
5
6
7
8
SNV Index



5m3
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
−0.8
−0.6
−0.4
−0.2
0.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5



1m1
3m1
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.06
0.08
0.10
0.12
0.14
0.16
−0.8
−0.6
−0.4
−0.2
0.0



Frequency
Cellular fraction
0
1
2
3
4
5
6
0.2
0.4
0.6
0.8
1.0



Purity: 0.51 Tumor ploidy: 2.944
1
2
3
4
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.51 Tumor ploidy: 2.944 SNV log−likelihood: −229.73 GoF: 53.3% Mean coverage: 445
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: 2020.66
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
2m0
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
Allelic fraction



Allelic fraction (somatic)
0.06
0.08
0.10
0.12
0.14
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
0.1
0.2
0.3
0.4
0.5
0.6
Cellular fraction



Purity: 0.63 Tumor ploidy: 5.944
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.63 Tumor ploidy: 5.944 SNV log−likelihood: −188.58 GoF: 90.1% Mean coverage: 445
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1956.68
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m3
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.37 Tumor ploidy: 1.944
0
1
2
3
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.37 Tumor ploidy: 1.944 SNV log−likelihood: −247.78 GoF: 65.3% Mean coverage: 445
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 2018.43
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
1
2
3
4
5
6
7
8
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
1
2
3
4
5
6
7
8
SNV Index



2m1
1m0
Allelic fraction (germline)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
−0.8
−0.6
−0.4
−0.2
0.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.06
0.08
0.10
0.12
0.14
0.16
−0.8
−0.6
−0.4
−0.2
0.0



Frequency
Cellular fraction
0
2
4
6
8
0.1
0.2
0.3
0.4
0.5
0.6
0.7



Purity: 0.43 Tumor ploidy: 4.925
2
3
4
5
6
7
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.43 Tumor ploidy: 4.925 SNV log−likelihood: −211.84 GoF: 85.3% Mean coverage: 445
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: 1928.96
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
7
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
14
SNV Index



5m3
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
−0.8
−0.6
−0.4
−0.2
0.0



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.06
0.08
0.10
0.12
0.14
−0.8
−0.6
−0.4
−0.2
0.0



Frequency
Cellular fraction
0
2
4
6
8
0.2
0.4
0.6
0.8
1.0



Purity: 0.71 Tumor ploidy: 2.91
2
3
4
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio



Purity: 0.71 Tumor ploidy: 2.91 SNV log−likelihood: −188.84 GoF: 8% Mean coverage: 445
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
5
10
15
SNV Index
SCNA−fit log−likelihood: 1558.18
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
10
15
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
2m0
3m0
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
Allelic fraction



Allelic fraction (somatic)
0.06
0.08
0.10
0.12
0.14
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio



Power 0.8 at BQ 33.5
Frequency
0
1
2
3
4
5
6
7
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.40
Cellular fraction



Purity: 0.59 Tumor ploidy: 1.91
1
2
3
0.35
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
log2 ratio


Purity: 0.59 Tumor ploidy: 1.91 SNV log−likelihood: −204.43 GoF: 0% Mean coverage: 445
11
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 1397.82
Copy Number log−ratio
−1.0
−0.5
0.0
0.5
1.0
1
2
3
2
4
6
8
10
12
14
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
12
14
SNV Index


Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
1m0
2m1
2m0
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio


Coverage (log2)
4
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
Allelic fraction


Allelic fraction (somatic)
0.06
0.08
0.10
0.12
0.14
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−0.8
−0.6
−0.4
−0.2
0.0
Copy Number log−ratio


Frequency
0
1
2
3
4
5
6
7
0.10
0.15
0.20
0.25
0.30
0.35
0.40
Cellular fraction