






Purity: 0.57 Tumor ploidy: 5.667
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.57 Tumor ploidy: 5.667 SNV log−likelihood: −150.81 GoF: 86.8% Mean coverage: 656
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 3707.14
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
SNV Index



2m1
6m3
6m2
5m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.28 Tumor ploidy: 5.466
0
1
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.28 Tumor ploidy: 5.466 SNV log−likelihood: −159.99 GoF: 95.4% Mean coverage: 656
9
14
B−Allele Frequency
0.45
0.50
0.55
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 3723.19
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
SNV Index



Allelic fraction (germline)
0.45
0.50
0.55
0m0
6m3
5m2
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
11
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
5m2
5m1
6m1
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
2
4
6
8
10
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.35 Tumor ploidy: 3.667
0
1
2
3
4
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.35 Tumor ploidy: 3.667 SNV log−likelihood: −158.55 GoF: 89.7% Mean coverage: 656
9
14
B−Allele Frequency
0.45
0.50
0.55
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 3701.06
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



3m2
0m0
4m2
Allelic fraction (germline)
0.45
0.50
0.55
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
11
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
7
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.52 Tumor ploidy: 1.833
0
1
2
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.52 Tumor ploidy: 1.833 SNV log−likelihood: −188.19 GoF: 57.1% Mean coverage: 656
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 3694.42
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index



0m0
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.22 Tumor ploidy: 4.439
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.22 Tumor ploidy: 4.439 SNV log−likelihood: −152.57 GoF: 97.7% Mean coverage: 656
9
14
B−Allele Frequency
0.45
0.50
0.55
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 3675.43
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.45
0.50
0.55
0m0
4m2
5m3
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
11
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
4m1
5m1
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
2
4
6
8
10
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.72 Tumor ploidy: 2.833
1
2
3
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.72 Tumor ploidy: 2.833 SNV log−likelihood: −190.46 GoF: 68% Mean coverage: 656
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
5
10
15
SNV Index



SCNA−fit log−likelihood: 3693.12
Copy Number log−ratio
−2.0
−1.5
−1.0
0.0
0.5
1.0
1
2
3
5
10
15
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
3m1
3m0
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
11
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
0.6
1m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.37 Tumor ploidy: 4.664
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.37 Tumor ploidy: 4.664 SNV log−likelihood: −161.47 GoF: 92.8% Mean coverage: 656
9
14
B−Allele Frequency
0.45
0.50
0.55
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 3651.74
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.45
0.50
0.55
5m3
4m2
5m2
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
11
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
2
4
6
8
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.3 Tumor ploidy: 2.667
0
1
2
3
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.3 Tumor ploidy: 2.667 SNV log−likelihood: −151.07 GoF: 91.7% Mean coverage: 656
9
14
B−Allele Frequency
0.45
0.50
0.55
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 3620.3
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
0.45
0.50
0.55
0m0
2m1
3m1
3m2
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
11
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
7
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.833
2
3
4
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.95 Tumor ploidy: 3.833 SNV log−likelihood: −179.18 GoF: 66.3% Mean coverage: 656
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 3657.18
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



2m1
4m2
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.52 Tumor ploidy: 4.667
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio



Purity: 0.52 Tumor ploidy: 4.667 SNV log−likelihood: −162.37 GoF: 84% Mean coverage: 656
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
1
2
3
4
5
6
7
SNV Index
SCNA−fit log−likelihood: 3581.7
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



4m2
5m2
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 1.912
1
1.4
1.5
2
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
log2 ratio


Purity: 0.95 Tumor ploidy: 1.912 SNV log−likelihood: −152.54 GoF: 0% Mean coverage: 656
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 305
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
1.4
2
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index


Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
2m1
2m0
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio


Coverage (log2)
5
6
7
8
9
10
11
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction


Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
0.6
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
−1.0
−0.8
−0.6
−0.4
−0.2
0.0
0.2
Copy Number log−ratio


Frequency
0
2
4
6
8
0.2
0.4
0.6
0.8
1.0
Cellular fraction