






Purity: 0.45 Tumor ploidy: 3.552
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.45 Tumor ploidy: 3.552 SNV log−likelihood: −199.69 GoF: 74.4% Mean coverage: 338
2
9
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 1776.28
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
5m4
3m2
0m0
4m2
5m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 4.541
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.67 Tumor ploidy: 4.541 SNV log−likelihood: −212.95 GoF: 51.5% Mean coverage: 338
2
9
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1723.66
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
6m4
5m3
4m2
6m2
4m1
2m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.72 Tumor ploidy: 2.276
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.72 Tumor ploidy: 2.276 SNV log−likelihood: −274.42 GoF: 43.4% Mean coverage: 338
2
9
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1818.72
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
2m1
3m1
2m0
0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.82 Tumor ploidy: 5.551
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.82 Tumor ploidy: 5.551 SNV log−likelihood: −188.2 GoF: 83% Mean coverage: 338
2
9
12
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 1586.58
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
3
4
5
6
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
7m5
5m3
6m3
7m3
5m2
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 3.277
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 3.277 SNV log−likelihood: −248.43 GoF: 60.3% Mean coverage: 338
2
9
12
14
17
19
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 1667.52
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
4m3
3m2
4m2
3m1
2m0
3m0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.52
0.54
0.56
0.58
0.60
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Purity: 0.71 Tumor ploidy: 5.554
1
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.71 Tumor ploidy: 5.554 SNV log−likelihood: −196.43 GoF: 69.3% Mean coverage: 338
2
9
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: 1547.43
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
3
4
5
6
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



1m1
5m4
7m5
5m3
6m3
7m3
5m2
5m1
3m0
6m0
Allelic fraction (germline)
Copy Number log−ratio
−1.5
−1.0
−0.5
0.0
0.5
0.2
0.4
0.6
0.8



Coverage (log2)
Allelic fraction
0.2
0.4
0.6
0.8
5
6
7
8
9
10



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio
−1.5
−1.0
−0.5
0.0
0.5
0.1
0.2
0.3
0.4
0.5
0.6



Power 0.8 at BQ 32
Frequency
Cellular fraction
0.0
0.2
0.4
0.6
0.8
1.0
0
1
2
3



Purity: 0.93 Tumor ploidy: 5.545
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.93 Tumor ploidy: 5.545 SNV log−likelihood: −197.16 GoF: 82% Mean coverage: 338
2
9
12
14
17
19
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 1527.6
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
7m5
5m3
6m3
7m3
5m2
5m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 4.831
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.39 Tumor ploidy: 4.831 SNV log−likelihood: −194.04 GoF: 81.5% Mean coverage: 338
2
9
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1494.24
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m5
7m5
5m3
0m0
4m2
5m2
7m2
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m5
1m1
4m1
5m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.24 Tumor ploidy: 4.12
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.24 Tumor ploidy: 4.12 SNV log−likelihood: −200.32 GoF: 72.3% Mean coverage: 338
2
9
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1323.24
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
7m6
4m2
3m1
7m2



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
3m1
4m1
4m2



Frequency
Cellular fraction



Purity: 0.48 Tumor ploidy: 5.547
0
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.48 Tumor ploidy: 5.547 SNV log−likelihood: −214.36 GoF: 78.2% Mean coverage: 338
2
9
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1224.85
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
5
7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
5m1
5m2
5m3
5m4
6m3
7m3
7m5



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.46 Tumor ploidy: 2.569
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.46 Tumor ploidy: 2.569 SNV log−likelihood: −199.05 GoF: 71.1% Mean coverage: 338
2
9
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1200.4
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m1
4m1
3m2
4m3
3m3
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
3m3



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.68 Tumor ploidy: 3.558
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.68 Tumor ploidy: 3.558 SNV log−likelihood: −229.31 GoF: 64.5% Mean coverage: 338
2
9
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 1216.6
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
3m2
4m2
5m2
3m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Power 0.8 at BQ 32
Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 1.588
0
1
2
3
4
5
6
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.33 Tumor ploidy: 1.588 SNV log−likelihood: −210.48 GoF: 74.3% Mean coverage: 338
2
9
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 955.22
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
3m3
1m1
0m0
2m1
3m1
1m0



Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1



Frequency
0
1
0.12
0.14
0.16
0.18
0.20
0.22
Cellular fraction



Purity: 0.23 Tumor ploidy: 1.882
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.23 Tumor ploidy: 1.882 SNV log−likelihood: −203.85 GoF: 86.6% Mean coverage: 338
2
9
14
17
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 951.02
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
2m2
1m1
0m0
2m1
1m0
4m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or PON/germline
dbSNP or PON/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1



Frequency
Cellular fraction



Purity: 0.79 Tumor ploidy: 3.553
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.79 Tumor ploidy: 3.553 SNV log−likelihood: −215.84 GoF: 60.5% Mean coverage: 338
2
9
12
14
17
19
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 851.72
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
0
5
10
15
20
25
30
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
0
5
10
15
20
25
30
SNV Index


Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
3m2
5m3
4m2
5m2
3m1
2m0
3m0
4m0


Coverage (log2)
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.025
0.030
0.035
0.040
0.045
0.050
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination


Frequency
0
1
0.10
0.12
0.14
0.16
0.18
0.20
Cellular fraction