






Purity: 0.6  Tumor ploidy: 4.316
0
2
3
4
5
6
7
0.5
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.6 Tumor ploidy: 4.316 SNV log−likelihood: −252.81 GoF: 34.1% Mean coverage: 501
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: 919.81
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
7
5
4
3
2
0
0
5
10
15
20
25
30
SNV Index



Maximum Likelihood Copy Number
4
3
2
1
0
0
5
10
15
20
25
30
SNV Index



2m2
2m1
4m2
4m1
2m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.26  Tumor ploidy: 3.409
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.26 Tumor ploidy: 3.409 SNV log−likelihood: −227.83 GoF: 84.9% Mean coverage: 501
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 861.38
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0 1 3 5 7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
0m1
3m2
0m0
3m1
3m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.3  Tumor ploidy: 4.409
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.3 Tumor ploidy: 4.409 SNV log−likelihood: −233.92 GoF: 84.5% Mean coverage: 501
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 855.42
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
0m0
4m2
1m0
4m1
4m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.37  Tumor ploidy: 2.316
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.37 Tumor ploidy: 2.316 SNV log−likelihood: −232.65 GoF: 75% Mean coverage: 501
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 823.88
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index



0m1
0m0
2m1
2m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.83 Tumor ploidy: 5.316
1
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.83 Tumor ploidy: 5.316 SNV log−likelihood: −275.46 GoF: 73.9% Mean coverage: 501
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 913.27
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
3
4
5
6
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
3m2
5m3
5m2
5m1
3m0
5m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
5m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
1
2
3
4
5
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.95  Tumor ploidy: 3.142
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 3.142 SNV log−likelihood: −232.39 GoF: 42.3% Mean coverage: 501
5
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: 738.45
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
3m2
2m1
3m1
2m0
3m0



Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Frequency
0
2
4
6
8
10
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.49  Tumor ploidy: 5.235
0
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.49 Tumor ploidy: 5.235 SNV log−likelihood: −271.96 GoF: 72.1% Mean coverage: 501
7
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 808.77
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
3
4
5
7
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
SNV Index



3m3
3m2
5m3
0m0
5m2
5m1
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.58  Tumor ploidy: 3.316
0
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.58 Tumor ploidy: 3.316 SNV log−likelihood: −259.76 GoF: 34.5% Mean coverage: 501
7
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 611.65
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
5
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1
2m0
3m2
3m1
3m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m2
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.69  Tumor ploidy: 2.142
0
1
2
3
4
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.69 Tumor ploidy: 2.142 SNV log−likelihood: −320.64 GoF: 0% Mean coverage: 501
7
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 657.47
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index


Allelic fraction (germline)
0.2
0.4
0.6
0.8
1m1
0m0
2m1
1m0
2m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio


Coverage (log2)
4
5
6
7
8
9
10
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.1
0.2
0.3
0.4
0.5
0.6
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio


Power 0.8 at BQ 33
Frequency
0
2
4
6
8
10
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction