






Purity: 0.39 Tumor ploidy: 5.998
1
2
4
5
6
7
Fraction Genome
0.0
0.2
0.4
0.6
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.39 Tumor ploidy: 5.998 SNV log−likelihood: −187 GoF: 79.5% Mean coverage: 651
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 3124.89
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
4
6
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
7m4
7m1
5m0
7m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m1
7m1
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.72 Tumor ploidy: 5.999
2
3
4
5
6
7
0.0
0.2
0.4
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.72 Tumor ploidy: 5.999 SNV log−likelihood: −204.39 GoF: 74.8% Mean coverage: 651
7
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
5
10
15
SNV Index



SCNA−fit log−likelihood: 3131.94
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



5m4
7m4
5m1
7m1
5m0
6m0
7m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.39 Tumor ploidy: 4.001
0
1
2
3
4
5
6
0.0
0.2
0.4
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.39 Tumor ploidy: 4.001 SNV log−likelihood: −210.82 GoF: 68.8% Mean coverage: 651
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3122.43
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



3m3
5m3
3m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.55 Tumor ploidy: 3.003
1
2
3
4
5
6
Fraction Genome
0.0
0.2
0.4
0.6
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.55 Tumor ploidy: 3.003 SNV log−likelihood: −214.8 GoF: 11.6% Mean coverage: 651
7
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3071.29
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
4m
2m0
3m0
4m
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.71 Tumor ploidy: 3.001
1
2
3
4
5
0.0
0.2
0.4
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.71 Tumor ploidy: 3.001 SNV log−likelihood: −246.18 GoF: 0% Mean coverage: 651
7
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
5
10
15
SNV Index



SCNA−fit log−likelihood: 3102.08
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m0
3m0
0.1
0.2
0.3
0.4
0.5
0.6
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7



Allelic fraction (somatic)
Copy Number log−ratio
1m1
3m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0.1
0.2
0.3
0.4
0.5
0.6
0.7
−1.0
−0.5
0.0



Power 0.8 at BQ 33
Frequency
Cellular fraction
0
1
2
3
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.36 Tumor ploidy: 3.001
0
1
2
3
4
5
7
0.6
0.4
0.2
0.0
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.36 Tumor ploidy: 3.001 SNV log−likelihood: −231.46 GoF: 63.9% Mean coverage: 651
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
SNV Index
SCNA−fit log−likelihood: 3064.7
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
SNV Index



2m2
4m3
2m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 2.004
0
1
2
3
4
6
0.0
0.2
0.4
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.36 Tumor ploidy: 2.004 SNV log−likelihood: −226.13 GoF: 59.7% Mean coverage: 651
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
1
2
3
4
5
6
7
SNV Index
SCNA−fit log−likelihood: 3025.36
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
6
1
2
3
4
5
6
7
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
1m1
3m2
1m0
3m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
0.14
0.16
0.18
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
0.0
0.2
0.4
0.6
0.8
Cellular fraction



Purity: 0.53 Tumor ploidy: 2.001
0
1
2
3
4
0.0
0.2
0.4
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.53 Tumor ploidy: 2.001 SNV log−likelihood: −272.1 GoF: 0% Mean coverage: 651
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 3088.61
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
4
3
2
1
0
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.19 Tumor ploidy: 3.973
0
1
2
3
4
5
6
7
0.0
0.2
0.4
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.19 Tumor ploidy: 3.973 SNV log−likelihood: −216.36 GoF: 88.6% Mean coverage: 651
9
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 3016.41
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m3
6m4
2m0
6m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
5m3
2m2
5m2
0m1
2m1
4m1
5m1



Frequency
Cellular fraction



Purity: 0.17 Tumor ploidy: 1.975
0
1
2
3
4
5
6
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
0.6
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.17 Tumor ploidy: 1.975 SNV log−likelihood: −228.38 GoF: 79.7% Mean coverage: 651
9
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 2991.21
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m1
4m3
0m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
3m3
3m2
0m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 2.919
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.15 Tumor ploidy: 2.919 SNV log−likelihood: −234.38 GoF: 83.5% Mean coverage: 651
9
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
1.0
1.5
2.0
2.5
3.0
3.5
4.0
SNV Index
SCNA−fit log−likelihood: 2987.6
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.2
0.3
0.4
0.5
0.6
0.7
1m2
5m4
1m0
5m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
4m3
1m2
0m1
1m1
3m1
4m1
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
1
2
3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.95 Tumor ploidy: 2
1
2
3
0.0
0.2
0.4
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.95 Tumor ploidy: 2 SNV log−likelihood: −240.86 GoF: 0% Mean coverage: 651
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 2912.91
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
3
2
1
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
2.0
1.5
1.0
0.5
0.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2m1
1m0
2m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Allelic fraction



Allelic fraction (somatic)
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
1
0.2
0.3
0.4
0.5
0.6
Cellular fraction



Purity: 0.15 Tumor ploidy: 4.799
0
1
2
3
4
5
6
7
0.0
0.2
0.4
0.6
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
log2 ratio



Purity: 0.15 Tumor ploidy: 4.799 SNV log−likelihood: −231.43 GoF: 88.3% Mean coverage: 651
9
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 2952.51
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m3
7m5
3m0
7m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
7m4
3m3
7m3
0m1
3m1
5m1
7m1



Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 1.4
0
1
2
3
4
6
0.0
0.1
0.2
0.3
0.4
0.5
0.6
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
log2 ratio


Purity: 0.29 Tumor ploidy: 1.4 SNV log−likelihood: −236.88 GoF: 74.4% Mean coverage: 651
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
1
2
3
4
5
6
SNV Index
SCNA−fit log−likelihood: 1388.39
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
1
2
4
6
1
2
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
1
2
3
4
5
6
SNV Index


Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
1m1
1m0
3
3
−1.0
−0.5
0.0
Copy Number log−ratio


Coverage (log2)
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Allelic fraction


Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
−1.0
−0.5
0.0
Copy Number log−ratio


Power 0.8 at BQ 33
Frequency
0
1
2
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction