






Purity: 0.44 Tumor ploidy: 4.456
0
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.44 Tumor ploidy: 4.456 SNV log−likelihood: −155.03 GoF: 73.8% Mean coverage: 380
14
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 2084.25
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
3
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



2m3
4m3
4m2
4m1
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.59 Tumor ploidy: 5.455
1
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.59 Tumor ploidy: 5.455 SNV log−likelihood: −144.18 GoF: 79.9% Mean coverage: 380
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 2070.3
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
3
4
5
7
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



5m4
5m4
5m3
5m2
5m1
5m0
Allelic fraction (germline)
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
2
4
6
8
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.39 Tumor ploidy: 3.456
0
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.39 Tumor ploidy: 3.456 SNV log−likelihood: −148.64 GoF: 77.7% Mean coverage: 380
14
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1982.85
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.3
0.4
0.5
0.6
0.7
0.8
0.9
3m3
3m2
3m1
3m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
5
6
7
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.86 Tumor ploidy: 3.248
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.86 Tumor ploidy: 3.248 SNV log−likelihood: −155.58 GoF: 84% Mean coverage: 380
12
14
19
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
1.0
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 1942.27
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
3m3
3m2
3m1
3m0
0.0
0.2
0.4
0.6
0.8
1.0
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
1.0



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
3m1
0.30
0.35
0.40
0.45
0.50
0.55
0.60
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
0.90
0.92
0.94
0.96
0.98
1.00



Purity: 0.61 Tumor ploidy: 2.248
0
1
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.61 Tumor ploidy: 2.248 SNV log−likelihood: −181.59 GoF: 0.2% Mean coverage: 380
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1942.15
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
1.0
0.8
0.6
0.4
0.2
2m2
1m1
2m1
2m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
10
9
8
7
6
5
4
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction



Allelic fraction (somatic)
0.25
0.20
0.15
0.10
0.05
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
8
6
4
2
0
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.56 Tumor ploidy: 4.456
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.56 Tumor ploidy: 4.456 SNV log−likelihood: −148.9 GoF: 65.5% Mean coverage: 380
14
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1891.89
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
0.3
0.4
0.5
0.6
0.7
0.8
0.9
3m3
4m3
4m2
4m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
4m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
5
6
7
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.45 Tumor ploidy: 5.454
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.45 Tumor ploidy: 5.454 SNV log−likelihood: −151.05 GoF: 84.1% Mean coverage: 380
14
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 1886.52
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
6
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.3
0.4
0.5
0.6
0.7
0.8
0.9
3m3
5m4
5m3
5m2
5m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
5m2
5m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
2
4
6
8
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.26 Tumor ploidy: 3.736
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.26 Tumor ploidy: 3.736 SNV log−likelihood: −148.05 GoF: 87.4% Mean coverage: 380
14
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1815.27
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
5
7
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
0.3
0.4
0.5
0.6
0.7
0.8
0.9
3m3
3m2
3m1
3m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m2
3m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.33 Tumor ploidy: 4.691
0
1
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.33 Tumor ploidy: 4.691 SNV log−likelihood: −153.19 GoF: 80.4% Mean coverage: 380
14
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1804.77
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
0.3
0.4
0.5
0.6
0.7
0.8
0.9
4m4
4m2
4m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
4m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.94 Tumor ploidy: 5.473
2
3
4
5
6
7
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.94 Tumor ploidy: 5.473 SNV log−likelihood: −157.01 GoF: 67.4% Mean coverage: 380
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 1634.65
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



4m4
5m3
5m2
5m1
5m0
Allelic fraction (germline)
Copy Number log−ratio
1.0
0.8
0.6
0.4
0.2
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
10
9
8
7
6
5
4
0.0
0.2
0.4
0.6
0.8
1.0



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
Allelic fraction (somatic)
Copy Number log−ratio
0.25
0.20
0.15
0.10
0.05
−1.0
−0.5
0.0
0.5



Power 0.8 at BQ 33
Frequency
Cellular fraction
7
6
5
4
3
2
1
0
0.0
0.2
0.4
0.6
0.8
1.0



Purity: 0.35 Tumor ploidy: 2.49
0
1
2
3
4
5
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.5
−1.0
−0.5
0.0
0.5
log2 ratio



Purity: 0.35 Tumor ploidy: 2.49 SNV log−likelihood: −143.33 GoF: 65.7% Mean coverage: 380
14
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1545.08
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index



Allelic fraction (germline)
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2m2
2m1
2m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
5
6
7
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.3 Tumor ploidy: 1.547
0
1
2
3
4
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio



Purity: 0.3 Tumor ploidy: 1.547 SNV log−likelihood: −154.38 GoF: 70% Mean coverage: 380
14
B−Allele Frequency
SNV Index
SCNA−fit log−likelihood: 385.23
Copy Number log−ratio
SNV Index
Maximum Likelihood Copy Number
SNV Index



Allelic fraction (germline)
1.0
0.8
0.6
0.4
0.2
1m1
1m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
10
9
8
7
6
5
4
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction



Allelic fraction (somatic)
0.25
0.20
0.15
0.10
0.05
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
7
6
5
4
3
2
1
0
0.0
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.21 Tumor ploidy: 1.997
0
1
2
3
4
5
6
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.6
−0.4
−0.2
0.0
0.2
0.4
0.6
log2 ratio


Purity: 0.21 Tumor ploidy: 1.997 SNV log−likelihood: −151.03 GoF: 87.4% Mean coverage: 380
14
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 333.71
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
2
4
6
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index


Allelic fraction (germline)
0.3
0.4
0.5
0.6
0.7
0.8
0.9
2m2
2m0
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Coverage (log2)
4
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8
1.0
Allelic fraction


Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
1m1
2m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Frequency
0
1
2
3
4
5
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction