






Purity: 0.51 Tumor ploidy: 3.401
1
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.51 Tumor ploidy: 3.401 SNV log−likelihood: −181.23 GoF: 31.6% Mean coverage: 400
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: 3127.4
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
3m2
3m1
1m0
3m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 2.401
0
1
2
3
4
5
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.43 Tumor ploidy: 2.401 SNV log−likelihood: −196.34 GoF: 18.9% Mean coverage: 400
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3144.33
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0m0
2m1
2m0
5m
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
4
5
6
0.1
0.2
0.3
0.4
0.5
Cellular fraction



Purity: 0.29 Tumor ploidy: 4.775
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.29 Tumor ploidy: 4.775 SNV log−likelihood: −194.62 GoF: 79.6% Mean coverage: 400
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3166.55
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
4m2
5m2
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
5m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.29 Tumor ploidy: 3.779
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.29 Tumor ploidy: 3.779 SNV log−likelihood: −203.65 GoF: 72.5% Mean coverage: 400
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 3183.42
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
4
6
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m2
4m2
3m1
4m0
7m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.71 Tumor ploidy: 3.401
2
3
4
5
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.71 Tumor ploidy: 3.401 SNV log−likelihood: −211.62 GoF: 13.2% Mean coverage: 400
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 2974.66
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
2
3
4
5
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
2m1
3m1
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.19 Tumor ploidy: 4.203
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.19 Tumor ploidy: 4.203 SNV log−likelihood: −254.3 GoF: 85.5% Mean coverage: 400
14
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
1
2
3
4
5
6
7
SNV Index
SCNA−fit log−likelihood: 3020.4
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
0.3
0.4
0.5
0.6
0.7
0m0
4m2
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m2
0m1
2m1
4m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
2
3
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.401
1
2
3
4
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.59 Tumor ploidy: 2.401 SNV log−likelihood: −182.16 GoF: 0% Mean coverage: 400
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 2774.86
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



1m1
2m1
1m0
2m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 5.755
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.57 Tumor ploidy: 5.755 SNV log−likelihood: −164.32 GoF: 68.8% Mean coverage: 400
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
14
SNV Index
SCNA−fit log−likelihood: 2737.02
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
4
5
7
2
4
6
8
10
12
14
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m3
2m1
6m3
5m2
6m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Power 0.8 at BQ 34
Frequency
Cellular fraction



Purity: 0.35 Tumor ploidy: 5.792
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.35 Tumor ploidy: 5.792 SNV log−likelihood: −175.61 GoF: 82.8% Mean coverage: 400
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 2751.42
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
5
7
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m1
5m3
6m3
5m2
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
2m1
4m1
5m1
6m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.36 Tumor ploidy: 1.41
0
1
2
3
4
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.36 Tumor ploidy: 1.41 SNV log−likelihood: −239.78 GoF: 37.2% Mean coverage: 400
9
14
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
SNV Index
SCNA−fit log−likelihood: 2806.75
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
1m0
4m



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1



Frequency
Cellular fraction



Purity: 0.21 Tumor ploidy: 1.825
0
1
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.21 Tumor ploidy: 1.825 SNV log−likelihood: −254.2 GoF: 77.6% Mean coverage: 400
9
14
B−Allele Frequency
0.2
0.3
0.4
0.5
0.6
0.7
2
4
6
8
SNV Index
SCNA−fit log−likelihood: 2880.9
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
2
4
6
8
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
1m1
0m0
2m1
1m0
6m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
0m1
1m1
2m1



Frequency
Cellular fraction



Purity: 0.15 Tumor ploidy: 2.244
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio


Purity: 0.15 Tumor ploidy: 2.244 SNV log−likelihood: −291.65 GoF: 84.9% Mean coverage: 400
14
B−Allele Frequency
0.3
0.4
0.5
0.6
0.7
1
2
3
4
5
6
7
SNV Index
SCNA−fit log−likelihood: 2875.9
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
5
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index


Allelic fraction (germline)
0.3
0.4
0.5
0.6
0.7
0m0
2m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Coverage (log2)
5
6
7
8
9
10
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Allelic fraction


Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m3
2m2
0m1
2m1
−1.0
−0.5
0.0
0.5
Copy Number log−ratio


Frequency
0
1
2
3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction