






Purity: 0.41 Tumor ploidy: 3.264
1
2
3
4
5
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.41 Tumor ploidy: 3.264 SNV log−likelihood: −210.8 GoF: 58.2% Mean coverage: 405
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
SNV Index
SCNA−fit log−likelihood: 1811.45
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
SNV Index



1m1
4m2
3m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.24 Tumor ploidy: 4.449
1
2
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.24 Tumor ploidy: 4.449 SNV log−likelihood: −217.66 GoF: 88.2% Mean coverage: 405
9
B−Allele Frequency
0.3
0.4
0.5
0.6
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 1837.7
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
1
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
SNV Index



3m3
1m1
6m3
3m0
Allelic fraction (germline)
Copy Number log−ratio
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.03
0.04
0.05
0.06
0.07
0.08
−1.5
−1.0
−0.5
0.0



Frequency
Cellular fraction
0
2
4
6
8
0.2
0.3
0.4
0.5
0.6
0.7
0.8



Purity: 0.33 Tumor ploidy: 2.268
0
1
2
3
4
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.33 Tumor ploidy: 2.268 SNV log−likelihood: −215.04 GoF: 60.4% Mean coverage: 405
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
SNV Index
SCNA−fit log−likelihood: 1813.24
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
SNV Index



2m2
3m2
0m0
3m1
2m0
Allelic fraction (germline)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.05
0.06
0.07
0.08
−1.5
−1.0
−0.5
0.0



Frequency
Cellular fraction
0
2
4
6
8
10
0.2
0.3
0.4
0.5



Purity: 0.63 Tumor ploidy: 5.268
3
4
5
6
7
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.63 Tumor ploidy: 5.268 SNV log−likelihood: −205.25 GoF: 66.3% Mean coverage: 405
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 1811.14
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
3
4
5
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
SNV Index



3m2
6m3
5m1
5m0
Allelic fraction (germline)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.03
0.04
0.05
0.06
0.07
0.08
−1.5
−1.0
−0.5
0.0



Frequency
Cellular fraction
0
2
4
6
8
10
0.2
0.3
0.4
0.5



Purity: 0.44 Tumor ploidy: 4.268
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.44 Tumor ploidy: 4.268 SNV log−likelihood: −214.04 GoF: 69.2% Mean coverage: 405
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
SNV Index
SCNA−fit log−likelihood: 1792.55
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
6
2
4
6
8
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
SNV Index



4m3
5m3
2m1
5m2
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0



Coverage (log2)
Allelic fraction
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0.04
0.05
0.06
0.07
0.08
−1.5
−1.0
−0.5
0.0



Frequency
Cellular fraction
0
2
4
6
8
0.2
0.3
0.4
0.5
0.6



Purity: 0.19 Tumor ploidy: 3.528
0
1
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.19 Tumor ploidy: 3.528 SNV log−likelihood: −228.5 GoF: 91.2% Mean coverage: 405
9
B−Allele Frequency
0.3
0.4
0.5
0.6
1
2
3
4
5
SNV Index
SCNA−fit log−likelihood: 1845.49
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
7
1
2
3
4
5
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
5m4
2m2
0m0
2m0
5m1



Coverage (log2)
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m2
1m1
2m1
3m1
4m1



Frequency
0
2
4
6
8
10
0.3
0.4
0.5
0.6
0.7
0.8
0.9
Cellular fraction



Purity: 0.56 Tumor ploidy: 4.242
2
3
4
5
6
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.56 Tumor ploidy: 4.242 SNV log−likelihood: −234.19 GoF: 51.3% Mean coverage: 405
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 1795.76
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
2
3
4
5
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
2
4
6
8
10
SNV Index



4m3
5m3
2m1
5m2
4m1
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 5.401
2
3
4
5
6
7
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.33 Tumor ploidy: 5.401 SNV log−likelihood: −212.88 GoF: 84.5% Mean coverage: 405
9
B−Allele Frequency
0.3
0.4
0.5
0.6
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 1691.82
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
2
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



Allelic fraction (germline)
0.3
0.4
0.5
0.6
7m5
2m1
7m2
4m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.03
0.04
0.05
0.06
0.07
0.08
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
2
4
6
8
10
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.22 Tumor ploidy: 2.506
0
1
2
3
4
5
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.22 Tumor ploidy: 2.506 SNV log−likelihood: −228.63 GoF: 82.6% Mean coverage: 405
9
B−Allele Frequency
0.3
0.4
0.5
0.6
1
2
3
4
5
SNV Index
SCNA−fit log−likelihood: 1695.7
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
0
2
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



1m2
0m0
4m2
1m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
1m1
2m1
3m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.62 Tumor ploidy: 3.196
2
3
4
Fraction Genome
0.0
0.1
0.2
0.3
0.4
0.5
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.62 Tumor ploidy: 3.196 SNV log−likelihood: −280.44 GoF: 0% Mean coverage: 405
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
1
2
3
4
5
6
7
8
SNV Index
SCNA−fit log−likelihood: 1474.59
Copy Number log−ratio
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
2
3
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
3m2
2m1
4m
3m1
3m0



Coverage (log2)
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1



Frequency
0
2
4
6
8
10
0.10
0.15
0.20
0.25
0.30
0.35
0.40
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.216
1
2
3
0.0
0.1
0.2
0.3
0.4
0.5
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio


Purity: 0.59 Tumor ploidy: 2.216 SNV log−likelihood: −296.61 GoF: 0% Mean coverage: 405
9
B−Allele Frequency
0.1
0.2
0.3
0.4
0.5
0.6
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 931.61
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index


Allelic fraction (germline)
0.1
0.2
0.3
0.4
0.5
0.6
2m0
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio


Coverage (log2)
5
6
7
8
9
0.1
0.2
0.3
0.4
0.5
0.6
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
0.04
0.05
0.06
0.07
0.08
−1.5
−1.0
−0.5
0.0
Copy Number log−ratio


Power 0.8 at BQ 34
Frequency
0
2
4
6
8
10
0.05
0.10
0.15
0.20
0.25
0.30
Cellular fraction