






Purity: 0.25 Tumor ploidy: 4.45
0
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.25 Tumor ploidy: 4.45 SNV log−likelihood: −131.46 GoF: 79.5% Mean coverage: 389
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 3339.76
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
3
5
7
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
2m2
1m1
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1
6m1



Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 3.257
0
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.45 Tumor ploidy: 3.257 SNV log−likelihood: −166.38 GoF: 52.1% Mean coverage: 389
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index



SCNA−fit log−likelihood: 3334.6
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
4
2
4
6
8
10
12
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
2m2
1m1
2m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.59 Tumor ploidy: 4.257
1
2
3
4
5
6
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.59 Tumor ploidy: 4.257 SNV log−likelihood: −156.38 GoF: 67.2% Mean coverage: 389
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
SNV Index
SCNA−fit log−likelihood: 3332.79
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
5
10
15
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
2m2
3m2
3m1
4m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.05
0.06
0.07
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
0.1
0.2
0.3
0.4
0.5
Cellular fraction



Purity: 0.36 Tumor ploidy: 2.257
0
1
2
3
4
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.36 Tumor ploidy: 2.257 SNV log−likelihood: −166.97 GoF: 47.6% Mean coverage: 389
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 3325.71
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
1m1
0m0
1m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
0.1
0.2
0.3
0.4
0.5
0.6
0.7
Cellular fraction



Purity: 0.47 Tumor ploidy: 4.257
1
2
3
4
5
6
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.47 Tumor ploidy: 4.257 SNV log−likelihood: −167.7 GoF: 67.2% Mean coverage: 389
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 3275.1
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
6
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
2m2
3m2
3m1
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
Cellular fraction



Purity: 0.29 Tumor ploidy: 5.402
0
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.29 Tumor ploidy: 5.402 SNV log−likelihood: −126.46 GoF: 78.6% Mean coverage: 389
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 3187.85
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
Copy Number log−ratio
3m3
2m2
3m0



Coverage (log2)
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
5m1
7m1



Frequency
0
1
2
3
4
5
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.24 Tumor ploidy: 2.504
0
1
2
3
4
5
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.24 Tumor ploidy: 2.504 SNV log−likelihood: −153 GoF: 68.9% Mean coverage: 389
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 3127.63
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
Copy Number log−ratio
0m0
1m1
1m0



Coverage (log2)
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
−1.0
−0.5
0.0
Copy Number log−ratio
2m1
4m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
0
1
2
3
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.62 Tumor ploidy: 3.21
1
2
3
4
5
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.62 Tumor ploidy: 3.21 SNV log−likelihood: −178.75 GoF: 53.2% Mean coverage: 389
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index



SCNA−fit log−likelihood: 3002.85
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
2
4
6
8
10
SNV Index



Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
2m2
2m1
3m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.05
0.10
0.15
0.20
0.25
0.30
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
−1.0
−0.5
0.0
Copy Number log−ratio



Frequency
0
1
2
3
0.1
0.2
0.3
0.4
0.5
Cellular fraction



Purity: 0.75 Tumor ploidy: 3.208
1
2
3
4
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.75 Tumor ploidy: 3.208 SNV log−likelihood: −168.72 GoF: 74.9% Mean coverage: 389
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 2671.58
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1
2
3
4
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
Copy Number log−ratio
2m2
2m1
1m0
3m0
4m0



Coverage (log2)
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Purity: 0.15 Tumor ploidy: 4.788
0
1
2
4
5
6
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.15 Tumor ploidy: 4.788 SNV log−likelihood: −162.21 GoF: 73.1% Mean coverage: 389
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 2498.07
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
5
2
4
6
8
10
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
2
4
6
8
10
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
−1.0
−0.5
0.0
Copy Number log−ratio
2m2
0m0
2m0



Coverage (log2)
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
−1.0
−0.5
0.0
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
0m1
4m1
5m1
7m1



Frequency
0
1
2
3
4
5
6
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction



Purity: 0.59 Tumor ploidy: 2.208
0
1
2
3
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.59 Tumor ploidy: 2.208 SNV log−likelihood: −165.11 GoF: 0% Mean coverage: 389
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
12
SNV Index
SCNA−fit log−likelihood: 2366.85
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
1
2
3
2
4
6
8
10
12
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2
4
6
8
10
12
SNV Index



Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
1m1
2m1
2m0
−1.0
−0.5
0.0
Copy Number log−ratio



Coverage (log2)
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−1.0
−0.5
0.0
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
0
1
2
3
4
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.40
Cellular fraction



Purity: 0.2 Tumor ploidy: 1.617
0
1
2
3
4
5
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio


Purity: 0.2 Tumor ploidy: 1.617 SNV log−likelihood: −194.5 GoF: 59.5% Mean coverage: 389
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
2
4
6
8
10
SNV Index
SCNA−fit log−likelihood: 2368.35
Copy Number log−ratio
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
0
2
4
SNV Index
Maximum Likelihood Copy Number
0.0
0.2
0.4
0.6
0.8
1.0
2
4
6
8
10
SNV Index


Allelic fraction (germline)
0.0
0.2
0.4
0.6
0.8
0m0
−1.0
−0.5
0.0
Copy Number log−ratio


Coverage (log2)
6
7
8
9
0.0
0.2
0.4
0.6
0.8
Allelic fraction


Allelic fraction (somatic)
0.04
0.06
0.08
0.10
0.12
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
−1.0
−0.5
0.0
Copy Number log−ratio


Frequency
0
1
2
3
4
5
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Cellular fraction