






Purity: 0.45 Tumor ploidy: 3.035
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.45 Tumor ploidy: 3.035 SNV log−likelihood: −418.97 GoF: 37.7% Mean coverage: 466
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 506.47
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m2
2m1
4m2
3m1
6m2



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
2m1
3m1
4m2



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.69 Tumor ploidy: 3.98
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.69 Tumor ploidy: 3.98 SNV log−likelihood: −401.79 GoF: 0% Mean coverage: 466
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: 449.16
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



3m3
3m2
5m3
4m2
5m2
7m2
3m0
4m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



5m3
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.56 Tumor ploidy: 3.988
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.56 Tumor ploidy: 3.988 SNV log−likelihood: −396.46 GoF: 25.1% Mean coverage: 466
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: 298.93
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
7
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m2
2m1
4m2
5m3
5m2
7m2
2m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.78 Tumor ploidy: 2.016
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.78 Tumor ploidy: 2.016 SNV log−likelihood: −584.44 GoF: 61.7% Mean coverage: 466
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index
SCNA−fit log−likelihood: 599.46
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
4
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
1m0
2m0
4m1



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination



Frequency
Cellular fraction



Purity: 0.66 Tumor ploidy: 2.073
0
1
2
3
4
5
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.66 Tumor ploidy: 2.073 SNV log−likelihood: −610.53 GoF: 0% Mean coverage: 466
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: 289.9
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
4
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
1m1
2m1
3m2
3m1
4m1
1m0
2m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m2
2m1



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.79 Tumor ploidy: 5.055
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.79 Tumor ploidy: 5.055 SNV log−likelihood: −343.55 GoF: 61.9% Mean coverage: 466
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
10
20
30
40
SNV Index



SCNA−fit log−likelihood: −295.25
Copy Number log−ratio
1
0
−1
−2
−3
7
5
4
3
2
0
10
20
30
40
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
10
20
30
40
SNV Index



4m4
4m2
6m3
5m2
2m0
3m0
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
6m3
3m1
4m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.64 Tumor ploidy: 5.09
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.64 Tumor ploidy: 5.09 SNV log−likelihood: −371.64 GoF: 17.6% Mean coverage: 466
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index
SCNA−fit log−likelihood: −331.61
Copy Number log−ratio
−3
−2
−1
0
1
0
2
3
4
6
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
SNV Index



3m3
3m2
6m3
5m2
3m0
5m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



6m3
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
3m1
5m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33
Frequency
Cellular fraction



Purity: 0.45 Tumor ploidy: 4.086
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.45 Tumor ploidy: 4.086 SNV log−likelihood: −403.16 GoF: 62% Mean coverage: 466
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index



SCNA−fit log−likelihood: −522.89
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
7
5
10
15
20
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



2m3
2m2
5m3
0m0
2m1
4m2
5m2
7m2
2m0
4m0
Allelic fraction (germline)
Copy Number log−ratio
0.0
0.2
0.4
0.6
0.8
−2.0
−1.5
−1.0
−0.5
0.0
0.5



Coverage (log2)
Allelic fraction
5
6
7
8
9
10
0.0
0.2
0.4
0.6
0.8



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
Allelic fraction (somatic)
Copy Number log−ratio
0.05
0.10
0.15
0.20
0.25
−2.0
−1.5
−1.0
−0.5
0.0
0.5



Frequency
Cellular fraction
0
1
2
3
4
5
6
7
0.2
0.3
0.4
0.5
0.6
0.7



Purity: 0.49 Tumor ploidy: 5.003
0
1
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.49 Tumor ploidy: 5.003 SNV log−likelihood: −412.01 GoF: 61.8% Mean coverage: 466
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −636.56
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
3m3
3m2
6m3
5m2
3m0
5m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
1m1
3m1
5m1
6m3



Frequency
Cellular fraction



Purity: 0.65 Tumor ploidy: 5.998
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.65 Tumor ploidy: 5.998 SNV log−likelihood: −339.76 GoF: 56.1% Mean coverage: 466
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
35
SNV Index



SCNA−fit log−likelihood: −929.54
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
6
0
5
10
15
20
25
30
35
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
35
SNV Index



4m4
7m4
4m2
6m3
7m3
4m1
4m0
6m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio



Frequency
Cellular fraction



Purity: 0.49 Tumor ploidy: 5.999
0
2
3
4
5
6
7
0.4
0.3
0.2
0.1
0.0
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.49 Tumor ploidy: 5.999 SNV log−likelihood: −405.93 GoF: 74.5% Mean coverage: 466
12
14
B−Allele Frequency
0.0
0.2
0.4
0.6
0.8
0
5
10
15
20
25
30
SNV Index



SCNA−fit log−likelihood: −1051.33
Copy Number log−ratio
−3
−2
−1
0
1
0
2
3
5
7
0
5
10
15
20
25
30
SNV Index


Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
30
SNV Index


Allelic fraction (germline)
Copy Number log−ratio
0m0
3m0
4m0
6m0
4m2
4m3
4m4
6m3
7m3
7m4


Coverage (log2)
Allelic fraction


Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1
6m1
7m3


Frequency
Cellular fraction