






Purity: 0.95 Tumor ploidy: 3.09
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−0.5
0.0
0.5
1.0
1.5
2.0
log2 ratio



Purity: 0.95 Tumor ploidy: 3.09 SNV log−likelihood: −188.84 GoF: 48.8% Mean coverage: 284
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −537.87
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
5
7
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
3m2
2m1
5m2
3m1
2m0
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.67 Tumor ploidy: 4.002
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.67 Tumor ploidy: 4.002 SNV log−likelihood: −255.7 GoF: 21.9% Mean coverage: 284
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −416.71
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
3m1
4m1
7m2
2m0
4m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
4m1



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.43 Tumor ploidy: 3.057
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.43 Tumor ploidy: 3.057 SNV log−likelihood: −241.83 GoF: 9.6% Mean coverage: 284
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −506.57
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
4
6
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
0m0
2m1
3m3
6m2
3m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
0m1
1m1
2m1
3m1



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.78 Tumor ploidy: 2.031
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.78 Tumor ploidy: 2.031 SNV log−likelihood: −292.63 GoF: 40.8% Mean coverage: 284
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −475.01
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
4
SNV Index
Maximum Likelihood Copy Number
0.0
0.5
1.0
1.5
2.0
2.5
3.0
SNV Index



Allelic fraction (germline)
0.2
0.4
0.6
0.8
2m1
3m1
1m0
2m0
−2.0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Coverage (log2)
4
5
6
7
8
9
0.2
0.4
0.6
0.8
Allelic fraction



Allelic fraction (somatic)
0.2
0.3
0.4
0.5
0.6
1m1
2m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
−2.0
−1.5
−1.0
−0.5
0.0
0.5
Copy Number log−ratio



Frequency
0
1
0.2
0.4
0.6
0.8
1.0
Cellular fraction



Purity: 0.66 Tumor ploidy: 2.092
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.66 Tumor ploidy: 2.092 SNV log−likelihood: −295.04 GoF: 0% Mean coverage: 284
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
SNV Index



SCNA−fit log−likelihood: −541.97
Copy Number log−ratio
−3
−2
−1
0
1
0
1
2
3
4
5
10
15
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
10
15
SNV Index



2m2
0m0
2m1
4m1
1m0
Allelic fraction (germline)
Copy Number log−ratio



Coverage (log2)
Allelic fraction



1m1
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
Allelic fraction (somatic)
Copy Number log−ratio



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 4.042
1
2
3
4
5
6
7
0.00
0.05
0.10
0.15
0.20
0.25
0.30
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.95 Tumor ploidy: 4.042 SNV log−likelihood: −215.28 GoF: 52.5% Mean coverage: 284
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
25
SNV Index
SCNA−fit log−likelihood: −773.02
Copy Number log−ratio
−3
−2
−1
0
1
1
2
3
4
5
7
5
10
15
20
25
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m3
4m2
3m1
6m2
1m0
2m0
3m0
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
2m1
4m1



Frequency
Cellular fraction



Purity: 0.33 Tumor ploidy: 4.143
0
1
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.33 Tumor ploidy: 4.143 SNV log−likelihood: −220.91 GoF: 48.3% Mean coverage: 284
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: −988.42
Copy Number log−ratio
−3
−2
−1
0
1
0 1 3 5 7
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
4m4
0m0
2m1
7m2
4m0



Coverage (log2)
Allelic fraction



Allelic fraction (somatic)
Copy Number log−ratio
dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
4m4
0m1
1m1
2m1
3m1



Frequency
Cellular fraction



Purity: 0.73 Tumor ploidy: 5.091
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.73 Tumor ploidy: 5.091 SNV log−likelihood: −209.76 GoF: 58% Mean coverage: 284
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
0
5
10
15
20
25
SNV Index



SCNA−fit log−likelihood: −1070.09
Copy Number log−ratio
−3
−2
−1
0
1
2
3
4
6
0
5
10
15
20
25
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
0
5
10
15
20
25
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
4m2
7m2
5m1
2m0
3m0
4m0
5m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1



Power 0.8 at BQ 33.5
Frequency
Cellular fraction



Purity: 0.57 Tumor ploidy: 5.073
0
2
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio



Purity: 0.57 Tumor ploidy: 5.073 SNV log−likelihood: −247.26 GoF: 30.1% Mean coverage: 284
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
2
4
6
8
10
12
14
SNV Index



SCNA−fit log−likelihood: −1055.8
Copy Number log−ratio
−3
−2
−1
0
1
0
2
3
4
6
2
4
6
8
10
12
14
SNV Index



Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
2
4
6
8
10
12
14
SNV Index



Allelic fraction (germline)
Copy Number log−ratio
5m4
3m1
7m2
5m1
2m0



Coverage (log2)
Allelic fraction



dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
Allelic fraction (somatic)
Copy Number log−ratio
2m1
3m1
5m1



Frequency
Cellular fraction



Purity: 0.95 Tumor ploidy: 5.99
3
4
5
6
7
0.30
0.25
0.20
0.15
0.10
0.05
0.00
Fraction Genome
−2
−1
0
1
2
log2 ratio


Purity: 0.95 Tumor ploidy: 5.99 SNV log−likelihood: −225.92 GoF: 65.5% Mean coverage: 284
2
11
14
B−Allele Frequency
0.2
0.4
0.6
0.8
5
10
15
20
SNV Index
SCNA−fit log−likelihood: −1700.15
Copy Number log−ratio
−3
−2
−1
0
1
1
3
4
5
7
5
10
15
20
SNV Index
Maximum Likelihood Copy Number
0
1
2
3
4
5
6
7
5
10
15
20
SNV Index


6m5
6m4
4m2
6m2
3m0
4m0
5m0
Allelic fraction (germline)
Copy Number log−ratio


Coverage (log2)
Allelic fraction


dbSNP or POPAF/germline
dbSNP or POPAF/somatic
novel/somatic
novel/germline
COSMIC/germline
COSMIC/somatic
contamination
3m1
4m1
6m1
Allelic fraction (somatic)
Copy Number log−ratio


Frequency
Cellular fraction